

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/nse6_fml-6-2.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

FortiMail is configured with the protected domain example.com.

Which two envelope addresses will require an access receive rule, to relay for unauthenticated senders? (Choose two.)

A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: BD

QUESTION 2

What three configuration steps are required to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

- A. Generate a public/private key pair in the protected domain configuration
- B. Enable DKIM check in a matching session profile
- C. Enable DKIM check in a matching antispam profile
- D. Publish the public key as a TXT record in a public DNS server
- E. Enable DKIM signing for outgoing messages in a matching session profile

Correct Answer: ABD

QUESTION 3

Refer to the exhibit.



Which configuration change must you make to block an offending IP address temporarily?

https://www.geekcert.com/nse6_fml-6-2.html

2024 Latest geekcert NSE6_FML-6.2 PDF and VCE dumps Download

- A. Add the offending IP address to the system block list
- B. Add the offending IP address to the user block list
- C. Add the offending IP address to the domain block list
- D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm

QUESTION 4

While reviewing logs, an administrator discovers that an incoming email was processed using policy IDs 0:4:9.

Which two scenarios will generate this policy ID? (Choose two.)

- A. Email was processed using IP policy ID 4
- B. Incoming recipient policy ID 9 has the exclusive flag set
- C. FortiMail applies the default behavior for relaying inbound email
- D. FortiMail configuration is missing an access delivery rule

Correct Answer: CD

QUESTION 5

Refer to the exhibit.



Which statement describes the pre-registered status of the IBE user extuser2@external.lab?

- A. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet.
- B. The user account has been de-activated, and the user must register again the next time they receive an IBE email.
- C. The user was registered by an administrator in anticipation of IBE participation.



https://www.geekcert.com/nse6_fml-6-2.html 2024 Latest geekcert NSE6_FML-6.2 PDF and VCE dumps Download

D. The user has completed the IBE registration process, but has not yet accessed their IBE email.

Correct Answer: D

Reference: https://docs.fortinet.com/document/fortimail/6.4.2/administration-guide/470401/configuring-ibeusers