

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fml-6-2.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase


- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.



+ New.		Edit	Delete. 🔹	Move 🕶							
0 « <		1 - /1	> > Reco	rds per page: 50	•						
Enabled	ID	Source	Destinati	Session	AntiSpam	AntiVirus	Content	DLP	IP Pool	Authentication	Exclu
0	1	0.0.0.0/0	0.0.0.0/0	Example Session							0

An administrator has enabled the sender reputation feature in the Example_Session profile on FML-1. After a few hours, the deferred queue on the mail server starts filling up with undeliverable email. What two changes must the administrator make to fix this issue? (Choose two.)

A. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions

- B. Clear the sender reputation database using the CLI
- C. Create an outbound recipient policy to bypass outbound email from session profile inspections
- D. Disable the exclusive flag in IP policy ID 1

Correct Answer: AD

QUESTION 2

Refer to the exhibit.



Sender Reputation	Authentication Reputation Er	ndpoint Reputation
8 « < 1-	/1 > » Records per page	ge: 50 👻
IP	Score	
10.0.1.254	15	

Which configuration change must you make to block an offending IP address temporarily?

- A. Add the offending IP address to the system block list
- B. Add the offending IP address to the user block list
- C. Add the offending IP address to the domain block list
- D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm

QUESTION 3

While testing outbound MTA functionality, an administrator discovers that all outbound email is being processed using policy IDs 1:2:0.

Which two reasons explain why the last policy ID value is 0? (Choose two.)

- A. Outbound email is being rejected
- B. IP policy ID 2 has the exclusive flag set
- C. There are no outgoing recipient policies configured
- D. There are no access delivery rules configured for outbound email

Correct Answer: CD

QUESTION 4

Refer to the exhibit.



Tr	FML-1 ansparent mode		\frown	
port1 16.32.55	port.	2 172.16.3	port1 32.56	MX-1 examp
S	torage Proxies			
L	or outgoing SMTP co Jse client-specified o send email			
FortiMail				
Domain name	example.com			
ls subdomain	0			
Main domain		-		
Relay type:		•		
	MTP server: 172.16.32.56 Use SMTPS		Port 25 -	[Test]
Fa	Iback SMTP server:		Port 25 -	[Test.]
	Use SMTPS			
0	Relay Authentication			
C Recipier	t Address Verification			
Transpar	ent Mode Options			
This server i		port2		•
Hide the tran		3		
Use this don the mail	nain's SMTP server to deliver	•		

Which two statements about how the transparent mode FortiMail device routes email for the example.com domain are true? (Choose two.)

- A. If incoming email messages are undeliverable, FML-1 can queue them to retry later
- B. If outgoing email messages are undeliverable, FM-1 can queue them to retry later
- C. FML-1 will use the built-in MTA for outgoing sessions
- D. FML-1 will use the transparent proxy for incoming sessions

Correct Answer: BD



QUESTION 5

An organization has different groups of users with different needs in email functionality, such as address book access, mobile device access, email retention periods, and disk quotas.

Which FortiMail feature specific to server mode can be used to accomplish this?

- A. Resource profiles
- B. Domain-level service settings
- C. Access profiles
- D. Address book management options

Correct Answer: C

NSE6 FML-6.2 VCE Dumps

NSE6_FML-6.2 Practice Test NSE6 FML-6.2 Exam Questions