



# NSE6\_FNC-8.5<sup>Q&As</sup>

Fortinet NSE 6 - FortiNAC 8.5

## Pass Fortinet NSE6\_FNC-8.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/nse6\\_fnc-8-5.html](https://www.geekcert.com/nse6_fnc-8-5.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In an isolation VLAN, which three services does FortiNAC supply? (Choose three.)

- A. DNS
- B. NTP
- C. SMTP
- D. DHCP
- E. Web

Correct Answer: ADE

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8bec453a-b24211e9-a989-00505692583a/AdminGuide-860-PDF.pdf>

---

### QUESTION 2

Which agent is used only as part of a login script?

- A. Persistent
- B. Passive
- C. Mobile
- D. Dissolvable

Correct Answer: A

If the logon script runs the logon application in persistent mode, configure your Active Directory server not to run scripts synchronously.

Reference: [https://www.websense.com/content/support/library/deployctr/v76/init\\_setup\\_creating\\_and\\_running\\_logon\\_agent\\_script\\_deployment\\_tasks.aspx](https://www.websense.com/content/support/library/deployctr/v76/init_setup_creating_and_running_logon_agent_script_deployment_tasks.aspx)

---

### QUESTION 3

Which three communication methods are used by the FortiNAC to gather information from, and control, infrastructure devices? (Choose three.)

- A. SNMP
- B. RADIUS
- C. FTP
- D. CLI



#### E. SMTP

Correct Answer: ABC

Set up SNMP communication with FortiNAC RADIUS Server that is used by FortiNAC to communicate FortiNAC can be configured via CLI to use HTTP or HTTPS for OS updates instead of FTP.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/28966/snmp>  
<https://docs.fortinet.com/document/fortinac/8.8.0/administration-guide/938271/configure-radius-settings> [https://fortinetwe b.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e7ebdaa-cabf-11ea-8b7d00505692583a/FortiNAC\\_Deployment\\_Guide.pdf](https://fortinetwe b.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e7ebdaa-cabf-11ea-8b7d00505692583a/FortiNAC_Deployment_Guide.pdf)

---

#### QUESTION 4

With enforcement for network access policies and at-risk hosts enabled, what will happen if a host matches a network access policy and has a state of "at risk"?

- A. The host is provisioned based on the network access policy.
- B. The host is provisioned based on the default access defined by the point of connection.
- C. The host is isolated.
- D. The host is administratively disabled.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortinac/8.6.0/administration-guide/49701/policy-assignment>

---

#### QUESTION 5

Which command line shell and scripting language does FortiNAC use for WinRM?

- A. Powershell
- B. Bash
- C. Linux
- D. DOS

Correct Answer: A

Open Windows PowerShell or a command prompt. Run the following command to determine if you already have WinRM over HTTPS configured.

Reference: <https://docs.fortinet.com/document/fortinac/8.7.0/administration-guide/246310/winrm-deviceprofile-requirements-and-setup>