



NSE6_FVE-5.3^{Q&As}

Fortinet NSE 6 - FortiVoice 5.3

Pass Fortinet NSE6_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fve-5-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A user is consistently reporting issues with call drops and an unstable connection. The administrator is investigating the issue.

Which action can the administrator take to help troubleshoot this problem?

- A. Disable the SIP helper on the network Firewall.
- B. View call record logs of the problematic extension.
- C. Contact the SIP provider to troubleshoot the issue.
- D. Use a capture tool to capture traffic using the extension and trunk.

Correct Answer: B

QUESTION 2

What is the flow of SIP messages when an IP extension places an outbound call under normal operation?

- A. SIP messages go to the gateway directly before routing out of the trunk.
- B. SIP messages go to the branch system then to the central system before routing out the trunk.
- C. SIP messages go to the central system directly before routing out of the trunk.
- D. SIP messages go directly out to the trunk.

Correct Answer: A

QUESTION 3

When configuring High Availability, which three configurations are required on both units? (Choose three.)

- A. Configure the system time
- B. Configure the Admin Profile
- C. Configure the Mode of Operation
- D. Configure the On Failure behavior E. Configure the Virtual IP address

Correct Answer: CDE

QUESTION 4

Refer to the exhibit.



HA Configuration

Mode of operation: master

On failure: switch off

Shared password: change_me

Advanced options

HA base port: 20000

Heartbeat lost threshold: 30 seconds

Remote services as heartbeat: ☐

Call recoding sync: ☒

Apply Cancel

In the event of a failover, which statement about the configuration shown in the exhibit is true?

- A. Once the unit has recovered from failure the mode of operation changes to slave.
- B. Once the unit has recovered from failure it goes back to its programmed state of master.
- C. Once the unit has recovered from failure it stays in idle state until it is manually configured as master or slave.
- D. Once the unit has recovered from a failure it shuts down.

Correct Answer: B

QUESTION 5

Which two items are needed when troubleshooting an unexpected system restart? (Choose two.)

- A. Service Status
- B. Log disk
- C. Reboot time
- D. Up time

Correct Answer: AC

[NSE6_FVE-5.3 PDF Dumps](#)

[NSE6_FVE-5.3 Exam Questions](#)

[NSE6_FVE-5.3 Braindumps](#)