



NSE6_FWB-6.0^{Q&As}

Fortinet NSE 6 - FortiWeb 6.0

Pass Fortinet NSE6_FWB-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fwb-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What role does FortiWeb play in ensuring PCI DSS compliance?

- A. PCI specifically requires a WAF
- B. Provides credit card processing capabilities
- C. Provide ability to securely process cash transactions
- D. Provides load balancing between multiple web servers

Correct Answer: B

QUESTION 2

When viewing the attack logs on your FortiWeb, which IP Address is shown for the client when using XFF Header rules?

- A. FortiGate\\'s public IP
- B. FortiGate\\'s local IP
- C. FortiWeb\\'s IP
- D. Client\\'s real IP

Correct Answer: D

QUESTION 3

Under what circumstances would you want to use the temporary uncompress feature of FortiWeb?

- A. In the case of compression being done on the FortiWeb, to inspect the content of the compressed file
- B. In the case of the file being a .MP3 music file
- C. In the case of compression being done on the web server, to inspect the content of the compressed file.
- D. In the case of the file being an .MP4 video

Correct Answer: C

QUESTION 4

In Reverse proxy mode, how does FortiWeb handle traffic that does not match any defined policies?

- A. Non-matching traffic is allowed



- B. non-Matching traffic is held in buffer
- C. Non-matching traffic is Denied
- D. Non-matching traffic is rerouted to FortiGate

Correct Answer: C

QUESTION 5

What can an administrator do if a client has been incorrectly Period Blocked?

- A. Disconnect the client from the network
- B. Manually release the IP from the temporary Blacklist
- C. Nothing, it is not possible to override a Period Block
- D. Force a new IP address to the client.

Correct Answer: B

[NSE6_FWB-6.0 PDF Dumps](#)

[NSE6_FWB-6.0 Study Guide](#)

[NSE6_FWB-6.0 Braindumps](#)