



NSE6_FWF-6.4^{Q&As}

Fortinet NSE 6 - Secure Wireless LAN 6.4

Pass Fortinet NSE6_FWF-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fwf-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



If the signal is set to -68 dB on the FortiPlanner site survey reading, which statement is correct regarding the coverage area?

- A. Areas with the signal strength equal to -68 dB are zoomed in to provide better visibility
- B. Areas with the signal strength weaker than -68 dB are cut out of the map
- C. Areas with the signal strength equal or stronger than -68 dB are highlighted in multicolor
- D. Areas with the signal strength weaker than -68 dB are highlighted in orange and red to indicate that no signal was propagated by the APs.

Correct Answer: C

QUESTION 2

When using FortiPresence as a captive portal, which two types of public authentication services can be used to access guest Wi-Fi? (Choose two.)

- A. Social networks authentication
- B. Software security token authentication



- C. Short message service authentication
- D. Hardware security token authentication

Correct Answer: AD

This information along with the social network authentication logins with Facebook, Google, Instagram, LinkedIn, or FortiPresence using your WiFi.

Captive Portal configurations for social media logins and internet access. You can add and manage sites using the integrated Google maps and manoeuvre your hardware infrastructure easily.

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e126e498-eabb11eb-97f7-00505692583a/FortiPresence-21.3-Administration_Guide.pdf

QUESTION 3

Which two statements about distributed automatic radio resource provisioning (DARRP) are correct? (Choose two.)

- A. DARRP performs continuous spectrum analysis to detect sources of interference. It uses this information to allow the AP to select the optimum channel.
- B. DARRP performs measurements of the number of BSSIDs and their signal strength (RSSI). The controller then uses this information to select the optimum channel for the AP.
- C. DARRP measurements can be scheduled to occur at specific times.
- D. DARRP requires that wireless intrusion detection (WIDS) be enabled to detect neighboring devices.

Correct Answer: AD

DARRP (Distributed Automatic Radio Resource Provisioning) technology ensures the wireless infrastructure is always optimized to deliver maximum performance. Fortinet APs enabled with this advanced feature continuously monitor the RF environment for interference, noise and signals from neighboring APs, enabling the FortiGate WLAN Controller to determine the optimal RF power levels for each AP on the network. When a new AP is provisioned, DARRP also ensures that it chooses the optimal channel, without administrator intervention.

Reference: http://www.corex.at/Produktinfos/FortiOS_Wireless.pdf

QUESTION 4

How are wireless clients assigned to a dynamic VLAN configured for hash mode?

- A. Using the current number of wireless clients connected to the SSID and the number of IPs available in the least busy VLAN
- B. Using the current number of wireless clients connected to the SSID and the number of clients allocated to each of the VLANs
- C. Using the current number of wireless clients connected to the SSID and the number of VLANs available in the pool
- D. Using the current number of wireless clients connected to the SSID and the group the FortiAP is a member of



Correct Answer: C

VLAN from the VLAN pool based on a hash of the current number of SSID clients and the number of entries in the VLAN pool.

Reference: <https://docs.fortinet.com/document/fortiap/7.0.1/fortiwifi-and-fortiap-configuration-guide/376326/configuring-dynamic-user-vlan-assignment>

QUESTION 5

Which two configurations are compatible for Wireless Single Sign-On (WSSO)? (Choose two.)

- A. A VAP configured for captive portal authentication
- B. A VAP configured for WPA2 or 3 Enterprise
- C. A VAP configured to authenticate locally on FortiGate
- D. A VAP configured to authenticate using a radius server

Correct Answer: BD

In the SSID choose WPA2-Enterprise authentication.

WSSO is RADIUS-based authentication that passes the user's user group memberships to the FortiGate.

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/b92a67f9-73a6-11ea9384-00505692583a/FortiWiFi_and_FortiAP-6.4.2-Configuration_Guide.pdf

[NSE6_FWF-6.4 Study Guide](#)

[NSE6_FWF-6.4 Exam Questions](#)

[NSE6_FWF-6.4 Braindumps](#)