

NSE6_FWF-6.4^{Q&As}

Fortinet NSE 6 - Secure Wireless LAN 6.4

Pass Fortinet NSE6_FWF-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/nse6_fwf-6-4.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

How can you find upstream and downstream link rates of a wireless client using FortiGate?

- A. On the FortiAP CLI, using the cw_diag ksta command
- B. On the FortiAP CLI, using the cw_diag -d sta command
- C. On the FortiGate GUI, using the WiFi Client monitor
- D. On the FortiGate CLI, using the diag wireless-controller wlac -d Sta command

Correct Answer: C

The WiFi Client monitor on the FortiGate GUI shows the upstream and downstream link rates of a wireless client, along with other information such as MAC address, SSID, IP address, signal strength, and connection time. The link rates indicate the maximum data rates that the client can achieve in both directions. References: Secure Wireless LAN Course Description, page 7; [FortiOS 6.4.0 Handbook - Wireless Controller], page 37.

QUESTION 2

Which statement is correct about security profiles on FortiAP devices?

- A. Security profiles can only be applied to unencrypted wireless traffic.
- B. Security profiles can only be applied via firewall policies on the FortiGate.
- C. Security profiles are only supported on Bridge-mode SSIDs.
- D. Security profiles on FortiAP devices can use FortiGate subscription to inspect the traffic.

Correct Answer: D

Security profiles on FortiAP devices can use FortiGate subscription to inspect the traffic, such as antivirus, web filtering, application control, and IPS. This feature is called local bridging and it allows the FortiAP to forward traffic to the FortiGate for security inspection before sending it to the destination network. This reduces the bandwidth consumption and latency of tunnel mode SSIDs. References: Secure Wireless LAN Course Description, page 9; [FortiOS 6.4.0 Handbook - Wireless Controller], page 46.

QUESTION 3

When deploying a wireless network that is authenticated using EAP PEAP, which two configurations are required? (Choose two.)

- A. An X.509 certificate to authenticate the client
- B. An X.509 to authenticate the authentication server
- C. A WPA2 or WPA3 personal wireless network
- D. A WPA2 or WPA3 Enterprise wireless network



Correct Answer: AB

X.509 certificates and work for connections that use Secure Socket Layer/Transport Level Security (SSL/TLS). Both client and server certificates have additional requirements. Reference: https://docs.microsoft.com/en-us/windowsserver/networking/technologies/nps/nps-manage-cert-requirements

QUESTION 4

Which statement is correct about security profiles on FortiAP devices?

- A. Security profiles on FortiAP devices can use FortiGate subscription to inspect the traffic
- B. Only bridge mode SSIDs can apply the security profiles
- C. Disable DTLS on FortiAP
- D. FortiGate performs inspection the wireless traffic
- Correct Answer: B

Reference: https://docs.fortinet.com/document/fortiap/6.4.0/fortiwifi-and-fortiap-configuration-guide/47321/fortiap-sbridge-mode-security-profiles

QUESTION 5

Which factor is the best indicator of wireless client connection quality?

- A. Downstream link rate, the connection rate for the AP to the client
- B. The receive signal strength (RSS) of the client at the AP
- C. Upstream link rate, the connection rate for the client to the AP
- D. The channel utilization of the channel the client is using

Correct Answer: B

SSI, or "Received Signal Strength Indicator," is a measurement of how well your device can hear a signal from an access point or router. It//'s a value that is useful for determining if you have enough signal to get a good wireless connection. Reference: https://www.metageek.com/training/resources/understanding-rssi.html

Latest NSE6 FWF-6.4 <u>Dumps</u>

Dumps

NSE6 FWF-6.4 PDF NSE6 FWF-6.4 Braindumps