



NSE7_EFW-6.4^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.4

Pass Fortinet NSE7_EFW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_efw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements about FortiManager is true when it is deployed as a local FDS? (Choose two.)

- A. It caches available firmware updates for unmanaged devices.
- B. It can be configured as an update server, or a rating server, but not both.
- C. It supports rating requests from both managed and unmanaged devices.
- D. It provides VM license validation services.

Correct Answer: CD

QUESTION 2

Examine the following partial outputs from two routing debug commands; then answer the question below.

```
# get router info kernel
```

```
tab=254 vf=0 scope=0type=1 proto=11 prio=0 0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0
```

```
gwy=10.200.1.254 dev=2(port1)
```

```
tab=254 vf=0 scope=0type=1 proto=11 prio=10 0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0
```

```
gwy=10.200.2.254 dev=3(port2)
```

```
tab=254 vf=0 scope=253type=1 proto=2 prio=0 0.0.0.0/0.0.0.0/.->10.0.1.0/24 pref=10.0.1.254
```

```
gwy=0.0.0.0 dev=4(port3)
```

```
# get router info routing-table all s*0.0.0.0/0 [10/0] via 10.200.1.254, port1 [10/0] via 10.200.2.254, port2,
```

```
[10/0] d0.0.1.0/24 is directly connected, port3 d0.200.1.0/24 is directly connected, port1 d0.200.2.0/24 is
```

directly connected, port2 Which outbound interface or interfaces will be used by this FortiGate to route web traffic from internal users to the Internet?

- A. port1
- B. port2.
- C. Both port1 and port2.
- D. port3.

Correct Answer: B

QUESTION 3



View the exhibit, which contains a screenshot of some phase-1 settings, and then answer the question below.

Name	Remote
Comments	Comments
Network	
IP Version	<input checked="" type="radio"/> IPv4 <input type="radio"/> IPv6
Remote Gateway	Static IP address
IP Address	10.0.10.1
Interface	port1
Mode Config	<input type="checkbox"/>
NAT Traversal	<input checked="" type="checkbox"/>
Keepalive Frequency	10
Dead Peer Detection	<input checked="" type="checkbox"/>

The VPN is up, and DPD packets are being exchanged between both IPsec gateways; however, traffic cannot pass through the tunnel. To diagnose, the administrator enters these CLI commands:

```
diagnose vpn ike log-filter src-add4 10.0.10.1
diagnose debug application ike-1
diagnose debug enable
```

However, the IKE real time debug does not show any output. Why?

- A. The debug output shows phases 1 and 2 negotiations only. Once the tunnel is up, it does not show any more output.
- B. The log-filter setting was set incorrectly. The VPN's traffic does not match this filter.
- C. The debug shows only error messages. If there is no output, then the tunnel is operating normally.
- D. The debug output shows phase 1 negotiation only. After that, the administrator must enable the following real time debug: `diagnose debug application ipsec -1`.

Correct Answer: B

QUESTION 4

Examine the output from the `diagnose debug authd fso list` command; then answer the question below.

```
# diagnose debug authd fso list --FSSO logons-IP: 192.168.3.1 User: STUDENT Groups: TRAININGAD/
```



USERS Workstation: INTERNAL2. TRAINING. LAB The IP address 192.168.3.1 is NOT the one used by the workstation INTERNAL2. TRAINING.

LAB.

What should the administrator check?

- A. The IP address recorded in the logon event for the user STUDENT.
- B. The DNS name resolution for the workstation name INTERNAL2. TRAINING. LAB.
- C. The source IP address of the traffic arriving to the FortiGate from the workstation INTERNAL2. TRAINING. LAB.
- D. The reserve DNS lookup for the IP address 192.168.3.1.

Correct Answer: C

QUESTION 5

Examine the output of the `diagnose debug rating` command shown in the exhibit; then answer the question below.

```
# diagnose debug rating
Locale       : english
License      : Contract
Expiration   : Wed Mar 27 17:00:00 20xx
-- Server List (Mon Apr 16 15:32:55 20xx) --
IP           Weight  RTT   Flags  TZ   Packets  Curr Lost  Total Lost
69.195.205.101 10     45    -5     262432  0         846
69.195.205.102 10     46    -5     329072  0         6806
209.222.147.43 10     75    -5     71638   0         275
96.45.33.65    20     71    -8     36875   0         92
208.91.112.196 20     103   DI     -8     34784   0         1070
208.91.112.198 20     107   D      -8     35170   0         1533
80.85.69.41    60     144   0      0       33728   0         120
62.209.40.73   71     226   1      33797   0         192
121.111.236.180 150    197   9      33754   0         145
69.195.205.103 45     44    F      -5     26410   26226    26227
```

Which statement are true regarding the output in the exhibit? (Choose two.)

- A. There are three FortiGuard servers that are not responding to the queries sent by the FortiGate.
- B. The TZ value represents the delta between each FortiGuard server's time zone and the FortiGate's time zone.
- C. FortiGate will send the FortiGuard queries to the server with highest weight.
- D. A server's round trip delay (RTT) is not used to calculate its weight.

Correct Answer: BC



[Dumps](#)

[Dumps](#)

[Guide](#)