



NSE7_EFW-6.4^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.4

Pass Fortinet NSE7_EFW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_efw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the diagnose test application ipsmonitor 99 command used for?

- A. To enable IPS bypass mode
- B. To provide information regarding IPS sessions
- C. To disable the IPS engine
- D. To restart all IPS engines and monitors

Correct Answer: D

QUESTION 2

View the exhibit, which contains the output of a debug command, and then answer the question below.

```
#dia hardware sysinfo shm
SHM counter:          150
SHM allocated:         0
SHM total:           625057792
conserve mode: on - mem
system last entered: Mon Apr 24 16:36:37 2017
sys fd last entered: n/a
SHM FS total:   641236992
SHM FS free:    641208320
SHM FS avail:   641208320
SHM FS alloc:    28672
```

What statement is correct about this FortiGate?

- A. It is currently in system conserve mode because of high CPU usage.
- B. It is currently in FD conserve mode.
- C. It is currently in kernel conserve mode because of high memory usage.
- D. It is currently in system conserve mode because of high memory usage.



Correct Answer: D

QUESTION 3

Which two statements about an auxiliary session are true? (Choose two.)

- A. With the auxiliary session setting enabled, ECMP traffic is accelerated to the NP6 processor.
- B. With the auxiliary session setting enabled, two sessions will be created in case of routing change.
- C. With the auxiliary session setting disabled, for each traffic path, FortiGate will use the same auxiliary session.
- D. With the auxiliary session disabled, only auxiliary sessions will be offloaded.

Correct Answer: CD

Reference: <https://docs.fortinet.com/document/fortigate/7.0.1/administration-guide/14295/controllingreturn-path-with-auxiliary-session>

QUESTION 4

The logs in a FSSO collector agent (CA) are showing the following error: failed to connect to registry: PIKA1026 (192.168.12.232)

What can be the reason for this error?

- A. The CA cannot resolve the name of the workstation.
- B. The FortiGate cannot resolve the name of the workstation.
- C. The remote registry service is not running in the workstation 192.168.12.232.
- D. The CA cannot reach the FortiGate with the IP address 192.168.12.232.

Correct Answer: C

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD30548>

QUESTION 5

View the exhibit, which contains the output of a web diagnose command, and then answer the question below.



diagnose webfilter fortiguard statistics list

Raring Statistics:

DNS failures	:	273
DNS lookups	:	280
Data send failures	:	0
Data read failures	:	0
Wrong package type	:	0
Hash table miss	:	0
Unknown server	:	0
Incorrect CRC	:	0
Proxy requests failures	:	0
Request timeout	:	1
Total requests	:	2409
Requests to FortiGuard servers	:	1182
Server errored responses	:	0
Relayed rating	:	0
Invalid profile	:	0
Allowed	:	1021
Blocked	:	3909
Logged	:	3927
Blocked Errors	:	565
Allowed Errors	:	0
Monitors	:	0
Authenticates	:	0
Warnings	:	18
Ovrd request timeout	:	0
Ovrd send failures	:	0
Ovrd read failures	:	0
Ovrd errored responses	:	0

diagnose webfilter fortiguard statistics list

Cache Statistics:

Maximum memory	:	0
Memory usage	:	0
Nodes	:	0
Leaves	:	0
Prefix nodes	:	0
Exact nodes	:	0
Requests	:	0
Misses	:	0
Hits	:	0
Prefix hits	:	0
Exact hits	:	0
No cache directives	:	0
Add after prefix	:	0
Invalid DB put	:	0
DB updates	:	0
Percent full	:	0%
Branches	:	0%
Leaves	:	0%
Prefix nodes	:	0%
Exact nodes	:	0%
Miss rate	:	0%
Hit rate	:	0%
Prefix hits	:	0%
Exact hits	:	0%

Which one of the following statements explains why the cache statistics are all zeros?

- A. The administrator has reallocated the cache memory to a separate process.
- B. There are no users making web requests.
- C. The FortiGuard web filter cache is disabled in the FortiGate's configuration.
- D. FortiGate is using a flow-based web filter and the cache applies only to proxy-based inspection.

Correct Answer: C

[NSE7_EFW-6.4 PDF Dumps](#)

[NSE7_EFW-6.4 Practice Test](#)

[NSE7_EFW-6.4 Exam Questions](#)