



# NSE7\_PBC-6.4<sup>Q&As</sup>

Fortinet NSE 7 - Public Cloud Security 6.4

## Pass Fortinet NSE7\_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/nse7\\_pbc-6-4.html](https://www.geekcert.com/nse7_pbc-6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

FortiGate VM64-AZUREONDEMAND

Dashboard > Security Fabric > Network > System > Policy & Objects > Addresses

Create New Edit Clone Delete Search

Name	Type	Details
AzureLab	Dynamic (AZURE)	AzureLab
Address	AzureLab	0.0.0.0/0
Type	Dynamic	Tag (IP Address)
Sub Type	Fabric Connector Address	0.0.0.0/0
SDN Connector	Lab	10.212.134.200 - 10.212.134.210
Filter	tag.fortigate-lab	0.0.0.0/0
Interface	any	gmail.com
Resolved To	Unresolved dynamic address: AzureLab	login.microsoft.com
References	0	login.microsoftonline.com

Edit


Refer to the exhibit. Your senior administrator successfully configured a FortiGate fabric connector with the Azure resource manager, and created a dynamic address object on the FortiGate VM to connect with a windows server in Microsoft Azure. However, there is now an error on the dynamic address object, and you must resolve the issue.

How do you resolve this issue?

- A. Run diagnose debug application azd -l on FortiGate.
- B. In the Microsoft Azure portal, set the correct tag values for the windows server.
- C. In the Microsoft Azure portal, access the windows server, obtain the private IP address, and assign the IP address under the FortiGate-VM AzureLab address object.
- D. Delete the address object and recreate a new address object with the type set to FQDN.

Correct Answer: C

## QUESTION 2



Refer to the exhibit. Which two conditions will enable you to segregate and secure the traffic between the hub and the spokes in Microsoft Azure? (Choose two.)

- A. Implement the FortiGate-VM network virtual appliance (NVA) in the hub and use user-defined routes (UDRs) in the spokes.
- B. Use ExpressRoute to interconnect the hub VNets and spoke VNets.
- C. Configure VNet peering between the spokes only.
- D. Configure VNet peering between the hub and spokes.

Correct Answer: BD

### QUESTION 3

You are deploying Amazon Web Services (AWS) GuardDuty to monitor malicious or unauthorized behaviors related to AWS resources. You will also use the Fortinet aws-lambda-guardduty script to translate feeds from AWS GuardDuty findings into a list of malicious IP addresses. FortiGate can then consume this list as an external threat feed.



Which Amazon AWS services must you subscribe to in order to use this feature?

- A. GuardDuty, CloudWatch, S3, Inspector, WAF, and Shield.
- B. GuardDuty, CloudWatch, S3, and DynamoDB.
- C. Inspector, Shield, GuardDuty, S3, and DynamoDB.
- D. WAF, Shield, GuardDuty, S3, and DynamoDB.

Correct Answer: A

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/ed901ad2-4424>

#### QUESTION 4

The screenshot displays the AWS Management Console for two FortiGate instances. The first instance, 'FortigateHA-FortiGate1' (ID: i-0a0817cffac147f0c), is shown with its Networking tab selected. Under 'Networking Details', the 'Private IPv4 addresses' are listed as 10.0.4.11, 10.0.3.11, 10.0.1.11, and 10.0.0.11. The second instance, 'FortigateHA-FortiGate2' (ID: i-0e758edd9a8cf1d64), is shown below it with its Networking tab also selected. Its 'Private IPv4 addresses' are listed as 10.0.1.12, 10.0.0.12, 10.0.3.12, and 10.0.4.12. Both instances have a 'Public IPv4 address' field that is currently empty.

Refer to the exhibit. You are configuring an active-passive FortiGate clustering protocol (FGCP) HA configuration in a single availability zone in Amazon Web Services (AWS), using a cloud formation template.

After deploying the template, you notice that the AWS console has IP information listed in the FortiGate VM firewalls in the HA configuration. However, within the configuration of FortiOS, you notice that port1 is using an IP of 10.0.0.13, and port2 is using an IP of 10.0.1.13.

What should you do to correct this issue?


- A. Configure FortiOS to use static IP addresses with the IP addresses reflected in the ENI primary IP address configuration (as per the exhibit).



- B. Delete the deployment and start again. You have in put the wrong parameters during the cloud formation template deployment.
- C. Configure FortiOS to use DHCP so that it will get the correct IP addresses on the ports.
- D. Nothing, in AWS cloud, it is normal for a FortiGate ENI primary IP address to be different than the FortiOS IP address configuration.

Correct Answer: C

#### QUESTION 5



Refer to the exhibit. The exhibit shows a topology where multiple connections from clients to the same FortiGate-VM instance, regardless of the protocol being used, are required.

Which two statements are correct? (Choose two.)

- A. The design shows an active-active FortiGate-VM architecture.
- B. The Cloud Load Balancer Session Affinity setting should be changed to CLIENT\_IP.
- C. The design shows an active-passive FortiGate-VM architecture.
- D. The Cloud Load Balancer Session Affinity setting should use the default value.

Correct Answer: AB

[NSE7\\_PBC-6.4 PDF Dumps](#)

[NSE7\\_PBC-6.4 Study Guide](#)

[NSE7\\_PBC-6.4 Exam Questions](#)