



NSE7_PBC-6.4^{Q&As}

Fortinet NSE 7 - Public Cloud Security 6.4

Pass Fortinet NSE7_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_pbc-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

```
207     "osDisk": {
208         "osType": "Linux",
209         "name": "sstentazfgt0402build3232disk01",
210         "caching": "ReadWrite",
211         "createOption": "Empty",
212         "managedDisk": {
213             "storageAccountType": "Standard_LRS"
214         },
215         "diskSizeGB": 2
216     },
217     "dataDisks": {
218         {
219             "lun": 0,
220             "name": "sstentazfgt0402build3232disk02",
221             "createOption": "Empty",
222             "caching": "None",
223             "managedDisk": {
224                 "storageAccountType": "Standard_LRS"
225             },
226             "diskSizeGB": 30
227         },
228     ],
229 }
```

Refer to the exhibit. You attempted to deploy the FortiGate-VM in Microsoft Azure with the JSON template, and it failed to boot up. The exhibit shows an excerpt from the JSON template.

What is incorrect with the template?

- A. The LUN ID is not defined.
- B. FortiGate-VM does not support managedDisk from Azure.
- C. The caching parameter should be None.
- D. The CreateOptions parameter should be FromImage.

Correct Answer: D

QUESTION 2

You have been asked to secure your organization's salesforce application that is running on Microsoft Azure, and find an effective method for inspecting shadow IT activities in the organization. After an initial investigation, you find that many users access the salesforce application remotely as well as on-premises. Your goal is to find a way to get more visibility, control over shadow IT-related activities, and identify any data leaks in the salesforce application.

Which three steps should you take to achieve your goal? (Choose three.)

- A. Deploy and configure FortiCASB with a Fortinet FortiCASB subscription license.
- B. Configure FortiCASB and set up access rights, privileges, and data protection policies.



C. Use FortiGate, FortiGuard, and FortiAnalyzer solutions.

D. Deploy and configure FortiCWP with a workload guardian license.

E. Deploy and configure FortiGate with Security Fabric solutions, and FortiCWP with a storage guardian advance license.

Correct Answer: ABC

QUESTION 3

Which two statements about Microsoft Azure network security groups are true? (Choose two.)

A. Network security groups can be applied to subnets and virtual network interfaces.

B. Network security groups can be applied to subnets only.

C. Network security groups are stateless inbound and outbound rules used for traffic filtering.

D. Network security groups are a stateful inbound and outbound rules used for traffic filtering.

Correct Answer: BD

Reference: <https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview>

The screenshot shows the AWS Management Console VPC Dashboard. The 'Route Tables' section is highlighted in the left sidebar. The main content area displays a list of route tables. The 'Public-route' (rtb-051b77e3c10a46085) is selected, and its details are shown below. The 'Routes' tab is active, displaying a table of routes.

Name	Route Table ID	Explicit subnet associator	Edge associations	Main	VPC ID	Owner
Private-route	rtb-040fce40e7029a32c	subnet-0c67f580822971d87	-	No	vpc-061d585389183ad02...	262226454685
Public-route	rtb-051b77e3c10a46085	subnet-08ffd4de2fbadfa72	-	Yes	vpc-061d585389183ad02...	262226454685

Destination	Target	Status
10.0.0.0/16	local	active
0.0.0.0/0	igw-08e87b162f8182999	active

Refer to the exhibit. In your Amazon Web Services (AWS) virtual private cloud (VPC), you must allow outbound access to the internet and upgrade software on an EC2 instance, without using a NAT instance. This specific EC2 instance is running in a private subnet: 10.0.1.0/24.

Also, you must ensure that the EC2 instance source IP address is not exposed to the public internet. There are two



subnets in this VPC in the same availability zone, named public (10.0.0.0/24) and private (10.0.1.0/24).

How do you achieve this outcome with minimum configuration?

- A. Deploy a NAT gateway with an EIP in the private subnet, edit the public main routing table, and change the destination route 0.0.0.0/0 to the target NAT gateway.
 - B. Deploy a NAT gateway with an EIP in the public subnet, edit route tables, select Public-route, and delete the route destination 10.0.0.0/16 to target local.
 - C. Deploy a NAT gateway with an EIP in the private subnet, edit route tables, select Private-route, and add a new route destination 0.0.0.0/0 to the target internet gateway.
 - D. Deploy a NAT gateway with an EIP in the public subnet, edit route tables, select Private-route and add a new route destination 0.0.0.0/0 to target the NAT gateway.
-

QUESTION 4


When an organization deploys a FortiGate-VM in a high availability (HA) (active/active) architecture in Microsoft Azure, they need to determine the default timeout values of the load balancer probes.

In the event of failure, how long will Azure take to mark a FortiGate-VM as unhealthy, considering the default timeout values?

- A. Less than 10 seconds
- B. 30 seconds
- C. 20 seconds
- D. 16 seconds

Correct Answer: B

QUESTION 5



Refer to the exhibit. The exhibit shows a topology where multiple connections from clients to the same FortiGate-VM instance, regardless of the protocol being used, are required.

Which two statements are correct? (Choose two.)

- A. The design shows an active-active FortiGate-VM architecture.
- B. The Cloud Load Balancer Session Affinity setting should be changed to CLIENT_IP.
- C. The design shows an active-passive FortiGate-VM architecture.
- D. The Cloud Load Balancer Session Affinity setting should use the default value.

Correct Answer: AB

[NSE7_PBC-6.4 VCE Dumps](#)

[NSE7_PBC-6.4 Study Guide](#)

[NSE7_PBC-6.4 Braindumps](#)