



NSE7_SDW-6.4^{Q&As}

Fortinet NSE 7 - SD-WAN 6.4

Pass Fortinet NSE7_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_sdw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
config system virtual-wan-link
  set status enable
  set load-balance-mode source-ip-based
  config members
    edit 1
      set interface "port1"
      set gateway 100.64.1.254
      set source 100.64.1.1
      set cost 15
    next
    edit 2
      set interface "port2"
      set gateway 100.64.2.254
      set priority 10
    next
  end
end
```

Based on output shown in the exhibit, which two commands can be used by SD-WAN rules? (Choose two.)

- A. set cost 15.
- B. set source 100.64.1.1.
- C. set priority 10.
- D. set load-balance-mode source-ip-based.

Correct Answer: CD

QUESTION 2

Refer to the exhibit.



```
config vpn ipsec phase1-interface
  edit "FIRST_VPN"
    set type dynamic
    set interface "port1"
    set peertype any
    set proposal aes128-sha256 aes256-sha38
    set dhgrp 14 15 19
    set xauthtype auto
    set authusrgrp "first-group"
    set psksecret fortinet1
  next
  edit "SECOND_VPN"
    set type dynamic
    set interface "port1"
    set peertype any
    set proposal aes128-sha256 aes256-sha38
    set dhgrp 14 15 19
    set xauthtype auto
    set authusrgrp "second-group"
    set psksecret fortinet2
  next
edit
```

FortiGate has multiple dial-up VPN interfaces incoming on port1 that match only FIRST_VPN.

Which two configuration changes must be made to both IPsec VPN interfaces to allow incoming connections to match all possible IPsec dial-up interfaces? (Choose two.)

- A. Specify a unique peer ID for each dial-up VPN interface.
- B. Use different proposals are used between the interfaces.
- C. Configure the IKE mode to be aggressive mode.
- D. Use unique Diffie Hellman groups on each VPN interface.

Correct Answer: AC

SD-WAN 6.4.5 Study Guide. pg 182



QUESTION 3

Refer to the exhibit.

```
FortiGate # diagnose firewall proute list
list route policy info(vf-root):

id=1 dscp tag=0xff 0xff flags=0x0 tos=0x00 tos mask=0x00 protocol=0 sport=
0:0 iif=0
dport=0-65535 oif=3 (port1)
source wildcard(1): 0.0.0.0/0.0.0.0
destination wildcard(1): 100.64.1.0/255.255.255.0
hit_count=4 last_used=2020-10-16 07:49:10

id=0x7f090001 vwl_service=1 (Google.ICMP), vwl_mbr_seq=1 2 dscp_tag=0xff
0xff flags=0x0
tos=0x00 tos_mask=0x00 protocol=0 sport=0:65535 iif=0 dport=1-65535 oif=3
(port1)
oif=4 (port2)
source(1): 0.0.0.0-255.255.255.255
destination wildcard(1): 0.0.0.0/0.0.0.0
internet service(1): Vimeo(4294838044, 0, 0, 0 25360)
hit_count=0 last_used=2020-10-16 07:49:14

id=0x7f090003 vwl_service=3(all_rules) vwl_mbr_seq=1 dscp_tag=0xff 0xff
flags=0x0
tos=0x00 tos_mask=0x00 protocol=0 sport=0:65535 iif=0 dport=1-65535 oif=3
(port1)
source(1): 0.0.0.0=255.255.255.255
destination(1): 0.0.0.0=255.255.255.255
hit_count=0 last_used=2020-10-16 07:49:14
```

Based on the output, which two conclusions are true? (Choose two.)

- A. The all_rules rule represents the implicit SD-WAN rule.
- B. There is more than one SD-WAN rule configured.
- C. Entry 1 (id=1) is a regular policy route.
- D. The SD-WAN rules takes precedence over regular policy routes.

Correct Answer: BC

QUESTION 4

Refer to exhibits.



Exhibit A

Exhibit B

Edit Policy

Name	Internet Access
Incoming interface	port3
Outgoing interface	virtual-wan link
Source	all
Destination	all
Schedule	always
Service	ALL
Action	<input checked="" type="checkbox"/> ACCEPT <input type="checkbox"/> DENY
Inspection Mode	<input checked="" type="checkbox"/> Flow-based <input type="checkbox"/> Proxy-based

Firewall / Network Options

NAT	<input checked="" type="checkbox"/>
IP Pool Configuration	<input checked="" type="checkbox"/> Use Outgoing Interface Address <input type="checkbox"/> Use Dynamic
Preserve Source Port	<input type="checkbox"/>
Protocol Options	<input checked="" type="checkbox"/> PROT default



Exhibit A | **Exhibit B**

Edit Traffic Shaping Policy

Name:

Status: Enabled Disabled

Comments: 0/255

If Traffic Matches:

Source:

Destination:

Schedule:

Service:

Application:

URL Category:

Then:

Action: Apply Shaper Assign Shaping Class ID

Outgoing interface:

Shared shaper:

Exhibit A shows the firewall policy and exhibit B shows the traffic shaping policy.

The traffic shaping policy is being applied to all outbound traffic; however, inbound traffic is not being evaluated by the shaping policy.

Based on the exhibits, what configuration change must be made in which policy so that traffic shaping can be applied to inbound traffic?



- A. Create a new firewall policy, and the select the SD-WAN zone as Incoming Interface.
- B. In the traffic shaping policy, select Assign Shaping Class ID as Action.
- C. In the firewall policy, select Proxy-based as Inspection Mode.
- D. In the traffic shaping policy, enable Reverse shaper, and then select the traffic shaper to use.

Correct Answer: D

QUESTION 5

Refer to the exhibits.

Link Status	
Check interval	500 ms
Failures before inactive ⓘ	3
Restore link after ⓘ	2 check(s)
Actions when Inactive	
Update static route ⓘ	<input checked="" type="checkbox"/>

	Interfaces ⇅	Gateway ⇅	Cost ⇅
[-]	virtual-wan-link		
•	port2	100.64.2.254	0
•	port1	100.64.1.254	0

Destination ⇅	Gateway IP ⇅	Interface ⇅	Status ⇅
[-] IPv4 4			
0.0.0.0/0		SD-WAN	Enabled
10.0.20.0/23	100.64.1.254	port1	Enabled
192.168.20.0/24	100.64.2.254	port2	Enabled
172.20.0.0/16	100.64.2.254	port2	Enabled

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN member and the static routes configuration. If port2 is detected dead by FortiGate, which expected behavior is correct?



- A. Port2 becomes alive after one successful probe is detected.
- B. The SD-WAN interface becomes disabled and port1 becomes the WAN interface.
- C. Dead members require manual administrator access to bring them back alive.
- D. Subnets 10.0.20.0/23 and 172.20.0.0/16 are reachable only through port1.

Correct Answer: D

[NSE7_SDW-6.4 PDF Dumps](#)

[NSE7_SDW-6.4 VCE Dumps](#)

[NSE7_SDW-6.4 Practice Test](#)