



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_sdw-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements about SLA targets and SD-WAN rules are true? (Choose two.)

- A. Member metrics are measured only if an SLA target is configured.
- B. SLA targets are used only by SD-WAN rules that are configured with Lowest Cost (SLA) or Maximize Bandwidth (SLA) as strategy.
- C. When configuring an SD-WAN rule, you can select multiple SLA targets of the same performance SLA.
- D. SD-WAN rules use SLA targets to check if the preferred members meet the SLA requirements.

Correct Answer: BD

QUESTION 2

Which three parameters are available to configure SD-WAN rules? (Choose three.)

- A. Application signatures
- B. Type of physical link connection
- C. URL categories
- D. Source and destination IP address
- E. Internet service database (ISDB) address object

Correct Answer: ADE

SD-WAN 6.4.5 Guide Page 76. <https://docs.fortinet.com/document/fortigate/7.2.1/administration-guide/22371/sd-wan-rules-best-quality>

QUESTION 3

What are two reasons for using FortiManager to organize and manage the network for a group of FortiGate devices? (Choose two)

- A. It simplifies the deployment and administration of SD-WAN on managed FortiGate devices.
- B. It improves SD-WAN performance on the managed FortiGate devices.
- C. It sends probe signals as health checks to the beacon servers on behalf of FortiGate.
- D. It acts as a policy compliance entity to review all managed FortiGate devices.
- E. It reduces WAN usage on FortiGate devices by acting as a local FortiGuard server.

Correct Answer: AE



QUESTION 4

Which statement defines how a per-IP traffic shaper of 10 Mbps is applied to the entire network?

- A. FortiGate allocates each IP address a maximum 10 Mbps of bandwidth.
- B. Each IP is guaranteed a minimum 10 Mbps of bandwidth
- C. A single user uses the allocated bandwidth divided by total number of users.
- D. The 10 Mbps bandwidth is shared equally among the IP addresses.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/885253/per-ip-traffic-shaper>

QUESTION 5

Refer to the exhibits. Exhibit A



Edit Traffic Shaping Policy

IP Version: IPv4 IPv6

Name:

Status: Enable Disable

Comments:

If Traffic Matches:

Source Internet Service:

Source Address:

Source User:

Source User Group:

Destination Internet Service:

Destination Address:

Schedule:

Service:

Application:

Application Category:

Application Group:

URL Category:

Type Of Service:

Type Of Service Mask:

Then:

Action: Apply Shaper Assign Group

Outgoing Interface:

Shared Shaper:

Reverse Shaper:

Per-IP Shaper:

Differentiated Services:

Differentiated Services Reverse:



Exhibit B



Edit Firewall Policy

ID	1
Name	DIA
ZTNA	<input checked="" type="radio"/> Disable <input type="radio"/> Full ZTNA <input type="radio"/> IP/MAC filtering
Incoming Interface	LAN <input type="button" value="x"/>
Outgoing Interface	underlay <input type="button" value="x"/>
Source Internet Service	<input type="checkbox"/>
IPv4 Source Address	LAN-net <input type="button" value="x"/>
IPv6 Source Address	<input type="button" value="+"/> +
Source User	<input type="button" value="+"/> +
Source User Group	<input type="button" value="+"/> +
FSSO Groups	<input type="button" value="+"/> +
Destination Internet Service	<input type="checkbox"/>
IPv4 Destination Address	all <input type="button" value="x"/>
IPv6 Destination Address	<input type="button" value="+"/> +
Service	ALL <input type="button" value="x"/>
Schedule	always <input type="button" value="x"/>
Action	<input type="button" value="Deny"/> <input checked="" type="button" value="Accept"/> <input type="button" value="IPSEC"/>
Inspection Mode	<input checked="" type="button" value="Flow-based"/> <input type="button" value="Proxy-based"/>
Firewall/Network Options	
NAT	<input checked="" type="checkbox"/> <input checked="" type="button" value="NAT"/> <input type="button" value="NAT46"/> <input type="button" value="NAT64"/>
IP Pool Configuration	<input checked="" type="button" value="Use Outgoing Interface Address"/> <input type="button" value="Use Dynamic IP Pool"/>
Preserve Source Port	<input type="checkbox"/>
Protocol Options	default <input type="button" value="x"/>

Disclaimer Options

Display Disclaimer	<input type="checkbox"/>
Security Profiles	
SSL/SSH Inspection	deep-inspection <input type="button" value="x"/>
Decrypted Traffic Mirror	<input type="button" value="+"/> +
Traffic Shaping Options	
Shared Shaper	<input type="button" value="+"/> +
Reverse Shaper	<input type="button" value="+"/> +
Per-IP Shaper	<input type="button" value="+"/> +
Logging Options	
Log Allowed Traffic	<input type="button" value="No Log"/> <input type="button" value="Log Security Events"/> <input checked="" type="button" value="Log All Sessions"/>
	<input type="checkbox"/> Capture Packets
	<input type="checkbox"/> Generate Logs when Session Starts



Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy.

The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic.

Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Destination internet service must be enabled on the traffic shaping policy.
- B. Application control must be enabled on the firewall policy.
- C. Web filtering must be enabled on the firewall policy.
- D. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.

Correct Answer: B

[NSE7_SDW-7.0 PDF Dumps](#)

[NSE7_SDW-7.0 Practice Test](#)

[NSE7_SDW-7.0 Braindumps](#)