



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_sdwan-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

- A. diagnose sys virtual-wan-link service
- B. get router info routing-table
- C. diagnose debug application ike
- D. get ipsec tunnel list

Correct Answer: C

QUESTION 2

Refer to the exhibits.

Link Status		
Check interval	<input type="text" value="500"/>	ms
Failures before inactive 	<input type="text" value="3"/>	
Restore link after 	<input type="text" value="2"/>	check(s)
Actions when Inactive		
Update static route 	<input checked="" type="checkbox"/>	



	Interfaces ▾	Gateway ▾	Cost ▾
	virtual-wan-link		
	port2	100.64.2.254	0
	port1	100.64.1.254	0

Destination ▾	Gateway IP ▾	Interface ▾	Status ▾
IPv4 4			
0.0.0.0/0		SD-WAN	Enabled
10.0.20.0/23	100.64.1.254	port1	Enabled
192.168.20.0/24	100.64.2.254	port2	Enabled
172.20.0.0/16	100.64.2.254	port2	Enabled

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN member and the static routes configuration. If port2 is detected dead by FortiGate, which expected behavior is correct?

- A. Port2 becomes alive after one successful probe is detected.
- B. The SD-WAN interface becomes disabled and port1 becomes the WAN interface.
- C. Dead members require manual administrator access to bring them back alive.
- D. Subnets 10.0.20.0/23 and 172.20.0.0/16 are reachable only through port1.

Correct Answer: D

QUESTION 3

Refer to the exhibit.



```
FortiGate # diagnose firewall shaper per-ip-shaper list
name FTP_5M
maximum-bandwidth 625 KB/sec
maximum-concurrent-session 5
tos ff/ff
packets dropped 65
bytes dropped 81040
addr=10.1.0.1 status: bps=0 ses=1
addr=10.1.0.100 status: bps=0 ses=1
addr=10.1.10.1 status: bps=1656 ses=3
```

Which two statements about the debug output are correct? (Choose two)

- A. The debug output shows per-IP shaper values and real-time readings.
- B. This traffic shaper drops traffic that exceeds the set limits.
- C. Traffic being controlled by the traffic shaper is under 1 Kbps.
- D. FortiGate provides statistics and reading based on historical traffic logs.

Correct Answer: AB

QUESTION 4

Which statement is correct about the SD-WAN and ADVPN?

- A. ADVPN interface can be a member of SD-WAN interface.
- B. Dynamic VPN is not supported as an SD-Wan interface.
- C. Spoke support dynamic VPN as a static interface.
- D. Hub FortiGate is limited to use ADVPN as SD-WAN member interface.

Correct Answer: A

QUESTION 5

Which two reasons make forward error correction (FEC) ideal to enable in a phase one VPN interface? (Choose two)

- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC improves reliability which overcomes adverse WAN conditions such as noisy links.



- C. FEC is useful to increase speed at which traffic is routed through IPsec tunnels.
- D. FEC transmits additional packets as redundant data to the remote device.
- E. FEC reduces the stress on the remote device jitter buffer to reconstruct packet loss

Correct Answer: BD

[NSE7_SDW-7.0 Practice Test](#)

[NSE7_SDW-7.0 Study Guide](#)

[NSE7_SDW-7.0 Braindumps](#)