



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_sdw-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement about using BGP routes in SD-WAN is true?

- A. Adding static routes must be enabled on all ADVPN interfaces.
- B. VPN topologies must be form using only BGP dynamic routing with SD-WAN
- C. Learned routes can be used as dynamic destinations in SD-WAN rules
- D. Dynamic routing protocols can be used only with non-encrypted traffic

Correct Answer: C

QUESTION 2

Which two statements describe how IPsec phase 1 main mode is different from aggressive mode when performing IKE negotiation? (Choose two)

- A. A peer ID is included in the first packet from the initiator, along with suggested security policies.
- B. XAuth is enabled as an additional level of authentication, which requires a username and password.
- C. A total of six packets are exchanged between an initiator and a responder instead of three packets.
- D. The use of Diffie Hellman keys is limited by the responder and needs initiator acceptance.

Correct Answer: AC

QUESTION 3

Refer to the exhibits. Exhibit A Exhibit B



Edit Performance SLA

Name: Level3_DNS

IP Version: **IPv4** IPv6

Probe Mode: **Active** Passive Prefer Passive

Protocol: **Ping** TCP ECHO UDP ECHO HTTP TW

Server: 4.2.2.1
4.2.2.2

Participants: All SD-WAN Members **Specify**

port1
port2 2 Entries

Enable Probe Packets:

SLA Targets ⓘ

+ Add Target

Link Status

Interval: 500 Milliseconds

Failure Before Inactive: 3 (max 3600)

Restore Link After: 2 (max 3600)

Action When Inactive

Update Static Route:

Cascade Interfaces:



```
branch1_fgt # diagnose sys sdwan member | grep port
Member(1): interface: port1, flags=0x0 , gateway: 192.2.0.2, priority: 0 1024, weight: 0
Member(2): interface: port2, flags=0x0 , gateway: 192.2.0.10, priority: 0 1024, weight: 0

branch1_fgt # get router info routing-table all | grep port
S*      0.0.0.0/0 [1/0] via 192.2.0.2, port1
        [1/0] via 192.2.0.10, port2
S       8.8.8.8/32 [10/0] via 192.2.0.11, port2
C       10.0.1.0/24 is directly connected, port5
S       172.16.0.0/16 [10/0] via 172.16.0.2, port4
C       172.16.0.0/29 is directly connected, port4
C       192.2.0.0/29 is directly connected, port1
C       192.2.0.8/29 is directly connected, port2
C       192.168.0.0/24 is directly connected, port10

branch1_fgt # diagnose sys sdwan health-check status Level3_DNS
Health Check(Level3_DNS):
Seq(1 port1): state(alive), packet-loss(0.000%) latency(1.919), jitter(0.137), bandwidth-
up(10238), bandwidth-dw(10238), bandwidth-bi(20476) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(0.000%) latency(1.509), jitter(0.101), bandwidth-
up(10238), bandwidth-dw(10238), bandwidth-bi(20476) sla_map=0x0
```

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN member status, the routing table, and the performance SLA status. If port2 is detected dead by FortiGate, what is the expected behavior?

- A. Port2 becomes alive after three successful probes are detected.
- B. FortiGate removes all static routes for port2.
- C. The administrator manually restores the static routes for port2, if port2 becomes alive.
- D. Host 8.8.8.8 is reachable through port1 and port2.

Correct Answer: B

This is due to Update static route is enable which removes the static route entry referencing the interface if the interface is dead

QUESTION 4

Which two benefits from using forward error correction (FEC) in IPsec VPNs are true? (Choose two.)

- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC reduces the stress on the remote device buffer to reconstruct packet loss.
- C. FEC transmits additional packets as redundant data to the remote device.
- D. FEC improves reliability, which overcomes adverse WAN conditions such as noisy links.

Correct Answer: CD

QUESTION 5

Which diagnostic command you can use to show interface-specific SLA logs for the last 10 minutes?



- A. diagnose sys virtual-wan-link health-check
- B. diagnose sys virtual-wan-link log
- C. diagnose sys virtual-wan-link sla-log
- D. diagnose sys virtual-wan-link intf-sla-log

Correct Answer: C

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/943037/sla-logging>
<https://community.fortinet.com/t5/FortiGate/Technical-Tip-SLA-Logging/ta-p/190934>

[Latest NSE7_SDW-7.0 Dumps](#)

[NSE7_SDW-7.0 VCE Dumps](#)

[NSE7_SDW-7.0 Braindumps](#)