

NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/nse7_sdw-7-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/nse7_sdw-7-0.html

2024 Latest geekcert NSE7_SDW-7.0 PDF and VCE dumps Download

QUESTION 1

An administrator is troubleshooting VoIP quality issues that occur when calling external phone numbers The SD-WAN interface on the edge FortiGate is configured with the default settings, and is using two upstream links One link has random jitter and latency issues and is based on a wireless connection

Which two actions must the administrator apply simultaneously on the edge FortiGate to improve VoIP quality using SD_WAN rules?

- A. Select the corresponding SD-WAN balancing strategy in the SD-WAN rule.
- B. Choose the suitable interface based on the interface cost and weight.
- C. Use the performance SLA targets to detect latency and jitter instantly.
- D. Place the troublesome link at the top of the interface preference list.
- E. Configure an SD-WAN rule to load balance all traffic without VoIP.

Correct Answer: AC

QUESTION 2

Refer to the exhibit.

The device exchanges routes using IBGP.

Which two statements are correct about the IBGP configuration and routing information on the device? (Choose two.)

- A. Each BGP route is three hops away from the destination.
- B. ibgp-multipath is disabled.
- C. additional-path is enabled.
- D. You can run the get router info routing-table database command to display the additional paths.

Correct Answer: CD

QUESTION 3

Refer to exhibits.



```
config system global
set snat-route-change enable
end
```

```
Exhibit A Exhibit B
    FortiGate # get router info routing-table details
    Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
           N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
           E1 - OSPF external type 1, E2 - OSPF external type 2
           i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
           * - candidate default
    Routing table for VRF=0
            0.0.0.0/0 [1/0] via 192.168.73.2, port2, [1/0]
                       [1/0] via 192.168.1.1, port1, [10/0]
            10.0.1.0/24 is directly connected, port3
    C
             192.168.1.0/24 is directly connected, port1
    C
             192.168.73.0/24 is directly connected, port2
    C
```

Exhibit A shows the source NAT global setting and exhibit B shows the routing table on FortiGate.

Based on the exhibits, which two statements about increasing the port2 interface priority to 20 are true? (Choose two.)

- A. All the existing sessions that do not use SNAT will be flushed and routed through port1.
- B. All the existing sessions will continue to use port2, and new sessions will use port1.
- C. All the existing sessions using SNAT will be flushed and routed through port1.
- D. All the existing sessions will be blocked from using port1 and port2.

Correct Answer: AC

QUESTION 4

Refer to the exhibit.



```
config system sdwan
    set status enable
    set load-balance source-dest-ip-based
    config zone
        edit "virtual-wan-link"
        next
        edit "SASE"
        next
        edit "underlay"
        next
    end
    config members
        edit 1
            set interface "port1"
            set zone "underlay"
            set gateway 192.2.0.2
        next
        edit 2
            set interface "port2"
            set zone "underlay"
            set gateway 192.2.0.10
        next
    end
end
```

Which algorithm does SD-WAN use to distribute traffic that does not match any of the SD- WAN rules?

- A. All traffic from a source IP to a destination IP is sent to the same interface.
- B. All traffic from a source IP is sent to the same interface.
- C. All traffic from a source IP is sent to the most used interface.
- D. All traffic from a source IP to a destination IP is sent to the least used interface.

Correct Answer: A

QUESTION 5

Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

- A. diagnose sys virtual-wan-link service
- B. get router info routing-table



https://www.geekcert.com/nse7_sdw-7-0.html

2024 Latest geekcert NSE7_SDW-7.0 PDF and VCE dumps Download

C. diagnose debug application ike

D. get ipsec tunnel list

Correct Answer: C

NSE7 SDW-7.0 PDF Dumps

NSE7 SDW-7.0 VCE

<u>Dumps</u>

NSE7 SDW-7.0 Practice
Test