



NSE8^{Q&As}

Fortinet Network Security Expert 8 Written (800)

Pass Fortinet NSE8 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/nse8.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Exhibit

▼ Duplicates (5)

Service Category (1)	General
Recurring Schedule (1)	always
Address (1)	all
Service (1)	ALL
Firewall VIP (1)	FTP

Processing ... 100 %

▼ Object Interface Binding Conflict (1)

Address (1)	LAN(any<-internal)
-------------	--------------------

Imported 1 of 2 policies and objects

Firewall Policy 1 of 2

Importing Objects

100% Total: 2, Success: 1, Error: 1

▼ Import Error

Firewall Policy (1)	ID:1 (#1)
---------------------	-----------

Clearer pictures and no water-mask in the Premium Product

Close

Given the following error message: FortiManager fails to import policy ID 1. What is the problem?

```
Start to import config from device(STUDENT-2) vdom(root) to adom(root), package(STUDENT-2)
"firewall service category",SUCCESS,"(name=General, oid=377, DUPLICATE)"
"firewall schedule recurring",SUCCESS,"(name=always, oid=473, DUPLICATE)"
"firewall address",SUCCESS,"(name=all, oid=364, DUPLICATE)"
"firewall service custom",SUCCESS,"(name=ALL, oid=426, DUPLICATE)"
"firewall vip",SUCCESS,"(name=FTP, iod=475, DUPLICATE)"
"firewall policy",FAILURE,"(name=ID:1 (#1), oid=512, message=object interface binding conflict)"
"firewall policy",FAILURE,"(name=ID:1 (#1), oid=512, message=object interface binding conflict)"
```

Clearer pictures and no water-mask in the Premium Product

- A. FortiManager already has Address LAN which has interface mapping set to "internal" in its database, it is contradicting with the STUDENT-2 FortiGate device which has address LAN mapped to "any".
- B. FortiManager already has address LAN which has interface mapping set to "any" in its database; this conflicts with the STUDENT-2 FortiGate device which has address "LAN" mapped to "internal".
- C. Policy ID 1 for this managed FortiGate device already exists on the FortiManager policy package named STUDENT-2.
- D. Policy ID 1 does not have interface mapping on FortiManager.


Correct Answer: D

References: <http://kb.fortinet.com/kb/documentLink.do?externalID=FD38544>

QUESTION 2



Your marketing department uncompressed and executed a file that the whole department received using Skype.



Reviewing the exhibit, which two details do you determine from your initial analysis of the payload?

- A. The payload contains strings that the malware is monitoring to harvest credentials.
- B. This is a type of Trojan that will download and pirate movies using your Netflix credentials.
- C. This type of threat of a DDoS attack using instant messaging to send e-mails to further spread the infection.
- D. This threat payload is uploading private user videos which are then used to extort Bitcoin payments.

Correct Answer: B

QUESTION 3

Your company uses a cluster of two FortiGate 3600C units in active-passive mode to protect the corporate network. The FortiGate cluster sends its logs to a FortiAnalyzer and you have configured scheduled weekly reports for the Internet

bandwidth usage of each corporate VLAN. During a scheduled maintenance window, you make a series of configuration changes. When the next FortiAnalyzer weekly report is generated, you notice that Internet bandwidth usage reported by

the FortiAnalyzer is far less than expected.

What is the reason for this discrepancy?

- A. You applied an antivirus profile on some of the policies, and no traffic can be accelerated.
- B. You disabled all security profiles on some of the firewall policies, and the traffic matching those policies is now accelerated.
- C. You enabled HA session-pickup, which is turn disabled session accounting.




D. You changed from active-passive to active-active, causing the session traffic counters to become inaccurate.

Correct Answer: D

Because of Active/Active failover traffic segregate to boxes where it reduces the bandwidth utilization

QUESTION 4

You are asked to establish a VPN tunnel with a service provider using a third-party VPN device. The service provider has assigned subnet 30.30.30.0/24 for your outgoing traffic going towards the services hosted by the provider on network 20.20.20.0/24. You have multiple computers which will be accessing the remote services hosted by the service provider.






Which three configuration components meet these requirements? (Choose three.)

- A. Configure an IP Pool of type Overload for range 30.30.30.10-30.30.30.10. Enable NAT on a policy from your LAN forwards the VPN tunnel and select that pool.
- B. Configure IPsec phase 2 proxy IDs for a source of 10.10.10.0/24 and destination of 20.20.20.0/24.
- C. Configure an IP Pool of Type One-to-One for range 30.30.30.10-30.30.30.10. Enable NAT on a policy from your LAN towards the VPN tunnel and select that pool.
- D. Configure a static route towards the VPN tunnel for 20.20.20.0/24.
- E. Configure IPsec phase 2 proxy IDs for a source of 30.30.30.0/24 and destination of 20.20.20.0/24.

Correct Answer: C

QUESTION 5

Your security department has requested that you implement the OpenSSL.TLS.Heartbeat.Information.Disclosure signature using an IPS sensor to scan traffic destined to the FortiGate. You must log all packets that attempt to exploit this vulnerability. Referring to the exhibit, which two configurations are required to accomplish this task? (Choose two.)



A.

```
config firewall interface-policy
edit 0
set interface "wan1"
set ips-sensor-status enable
set ips-sensor "HBleed_1"
next
```

B.

```
config ips sensor
edit "HBleed_1"
config entries
    edit 1
        set attack log enable
    next
```

C.

```
config firewall policy
edit 0
    set uuid 996de43c-560f-51e4-c971-f0b5d05c9776
    set dstintf "lan"
    set ips-sensor "HBleed_1"
next
```

Clearer pictures and no water-mask in the Premium Product

A. B. C.



```
config ips sensor
edit "Hbleed_1"
config entries
    edit 1
        set log-packet enable
ne
```

Clearer pictures and no water-mask in the Premium Product

D.

Correct Answer: B

<http://defadhil.blogspot.in/2014/04/how-to-protect-fortigate-from.html>

[Latest NSE8 Dumps](#)

[NSE8 Study Guide](#)

[NSE8 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.