



NSE8_810^{Q&As}

Fortinet Network Security Expert 8 Written Exam (810)

Pass Fortinet NSE8_810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse8_810.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Exhibit Click the Exhibit button. You are trying to configure Link-Aggregation Group (LAG), but ports A and B do not appear on the list of

member options. Referring to the exhibit, which statement is correct in this situation?



Exhibit

```
get hardware npu np6 port-list
Chip XAUI Ports Max Speed Cross-chip offloading
-----
np6_0 0
  1 port17 1G Yes
  1 port18 1G Yes
  1 port19 1G Yes
  1 port20 1G Yes
  1 port21 1G Yes
  1 port22 1G Yes
  1 port23 1G Yes
  1 port24 1G Yes
  1 port27 1G Yes
  1 port28 1G Yes
  1 port25 1G Yes
  1 port26 1G Yes
  1 port31 1G Yes
  1 port32 1G Yes
  1 port29 1G Yes
  1 port30 1G Yes
  2 portB 10G Yes
  3
-----
np6_1 0
  1 port1 1G Yes
  1 port2 1G Yes
  1 port3 1G Yes
  1 port4 1G Yes
  1 port5 1G Yes
  1 port6 1G Yes
  1 port7 1G Yes
  1 port8 1G Yes
  1 port11 1G Yes
  1 port12 1G Yes
  1 port9 1G Yes
  1 port10 1G Yes
  1 port15 1G Yes
  1 port16 1G Yes
  1 port13 1G Yes
  1 port14 1G Yes
  2 portA 10G Yes
  3
```

A. The FortiGate model being used does not support LAG.



- B. The FortiGate model does not have an Integrated Switch Fabric (ISF).
- C. The FortiGate SFP+ slot does not have the correct module.
- D. The FortiGate interfaces are defective and require replacement.

Correct Answer: B

QUESTION 2

Exhibit

```
FWB (HC-Combo) # show
config server-policy health
edit "HC-Combo"
config health-list
edit 1
set type tcp-half-open
next
edit 2
set type http
set url-path /index.html
set match-type response-code
next
edit 3
set type icmp
next
end
next
end
```

You created a custom health-check for your FortiWeb deployment.

Referring to the output shown in the exhibit, which statement is true?

- A. The FortiWeb must receive an RST packet from the server.
- B. The FortiWeb must receive an HTTP 200 response code from the server.
- C. The FortiWeb must receive an ICMP Echo Request from the server.
- D. The FortiWeb must match the hash value of the page index.html.

Correct Answer: B



QUESTION 3

Click the Exhibit button. Referring to the exhibit, which two statements are true? (Choose two.)

```
FGR # show firewall policy6
config firewall policy6
edit 1
set name "internet-ipv6"
set srcintf "port2"
set dstintf "port1"
set srcaddr "fd00:acd5:87a4:890d::10/128"
set dstaddr "all"
set action accept
set schedule "always"
set service "ALL"
set utm-status enable
set users "nse8user"
set profile-type group
set-profile-group "nse8-pfg"
set nat enable
  next
end
```

```
FGR # show firewall policy
config firewall policy
edit 1
set name "Internet"
set srcintf "port2"
set dstintf "port1"
set srcaddr "all"
set dstaddr "all"
set action accept
set schedule "always"
set service "ALL"
set utm-status enable
set logtraffic all
set fssso disable
set users "nse8user"
  set webfilter-profile "nse8-wf"
set dnsfilter-profile "nse8-wf-dns"
set profile-protocol-options "nse8-po"
set ssl-ssh-profile "certificate-inspection"
set nat enable
  next
end
```

```
FGR # show firewall profile group nse8-pfg
config firewall profile-group
edit "nse8-pfg"
set webfilter-profile "nse8-wf"
set dnsfilter-profile "nse8-wf-dns"
set profile-protocol-options "nse8-po"
set ssl-ssh-profile "certificate-inspection"
  next
end
```

A. The IPv4 traffic for nse8user is filtered using the DNS profile.



- B. The IPv6 traffic for nse8user is filtered using the DNS profile.
- C. The IPv4 policy is allowing security profile groups.
- D. The Web traffic for nse8user is being filtered differently in IPv4 and IPv6.

Correct Answer: AD

QUESTION 4

Exhibit

Click the Exhibit button. Referring to the exhibit, which two behaviors will the FortiClient endpoint have after receiving the profile update from the FortiClient EMS? (Choose two.)

Profile Name	Default				
AntiVirus	Sanbox	Web Filter	Firewall	VPN	Vulnerability Scan
Sandbox Detection <input checked="" type="checkbox"/>					
Server					
IP Address/Hostname <input type="text" value="172.16.1.12"/>					
<input checked="" type="checkbox"/> Wait for FortiSandbox Results before Allowing File Access					
<input checked="" type="checkbox"/> Deny Access to File If FortiSandbox Is Unreachable					
Timecut <input type="text" value="60 seconds"/>					
Access will be allowed if results are not received when then timeout expires. Set to -1 to infinitely restrict access.					
Submission					
<input checked="" type="checkbox"/> All Files Executed from Removable Media					
<input type="checkbox"/> All Files Executed from Mapped Network Drives					
<input checked="" type="checkbox"/> All Web Downloads					
<input checked="" type="checkbox"/> All Email Downloads					

- A. Files executed from a mapped network drive will not be inspected by the FortiClient endpoint Antivirus engine.
- B. The user will not be able to access a Web downloaded file for at least 60 seconds when the FortiSandbox is reachable.



C. The user will not be able to access a Web downloaded file for a maximum of 60 seconds if it is not a virus and the FortiSandbox is reachable.

D. The user will not be able to access a Web downloaded file when the FortiSandbox is unreachable.

Correct Answer: AC

QUESTION 5

You are asked to add a FortiDDoS to the network to combat detected slow connection attacks such as Slowloris.

Which prevention mode on FortiDDoS will protect you against this specific type of attack?

A. aggressive aging mode

B. rate limiting mode

C. blocking mode

D. asymmetric mode

Correct Answer: A

[NSE8_810 PDF Dumps](#)

[NSE8_810 Study Guide](#)

[NSE8_810 Braindumps](#)