



VCE & PDF

GeekCert.com

<https://www.geekcert.com/omnistudio-developer.html>  
2024 Latest geekcert OMNISTUDIO-DEVELOPER PDF and VCE dumps  
Download

# OMNISTUDIO-DEVELOPER<sup>Q&As</sup>

Salesforce Certified OmniStudio Developer

## Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/omnistudio-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

A developer needs to create a list of cases for an account in a single FlexCard. Like the one shown below.



Origin	Type	Subject	Status	Created	CaseNumber	Priority
Web	Mechanical	Generator won't start	New	2020-07-22T00:22:42.000Z	00001028	High
Phone	Electrical	Component missing	Escalated	2020-07-22T00:21:41.000Z	00001027	High
Phone	Electrical	Starting generator after electrical failure	Escalated	2020-02-27T22:28:20.000Z	00001000	High
Web	Other	Easy installation process	Closed	2020-02-27T22:28:20.000Z	00001003	Low
Web	Mechanical	Shutting down of generator	Closed	2020-02-27T22:28:20.000Z	00001017	Medium
Phone	Electrical	Cannot start generator after electrical failure	Closed	2020-02-27T22:28:20.000Z	00001018	Medium

How can the developer configure the FlexCard to display the case records in this way?

- A. Enable the record Looping feature on the data table elements
- B. Select the Repeatable Mode property on the data table elements
- C. Enable the Repeat Records feature on the FlexCard Setup tab
- D. Disable the Repeat Record feature on the FlexCard setup tab

Correct Answer: D

## QUESTION 2

A customer sets up two LWC OmniScripts, one embedded into another. AccountId is set in a Set Values element in the parent OmniScript. The AccountId set in the parent OmniScript is used to set another Set values element


ContextAccountId in the emvedded OmniScript.

The embedded OmniScript is activated.

While previewing the OmniScript flow from the parent, it is found that Account I set correct in the parent OmniScript. However ContextAccount in the embedded OmniScript is not set with the Accountid from parent OmniScript. On previewing

the embedded OmniScript individually. It is found that ContextAccountId is set correctly.

What is the reason for this? Refer to the exhibit below.




- A. The WLC PubSub Message flag in the Set Values action of the parent OmniScript has not been set.
- B. The flag passData.JSON in the parent OmniScript is not configured correctly.
- C. A developer failed to include a Navigate Action Element to pass data from the parent OmniScript.
- D. Both parent and embedded OmniScripts have the same element name for the Set Values element.

Correct Answer: A

### QUESTION 3



- A. **Send JSON Path** **Send JSON Node**  
DRExtractAction:Account SecondaryAccount
- B. **Send JSON Path** **Send JSON Node**  
SecondaryAccount DRExtractAction:Account
- C. **Send JSON Path** **Send JSON Node**  
SecondaryAccount DRExtractAction:Account
- D. **Send JSON Path** **Send JSON Node**  
DRExtractAction:Account SecondaryAccount







A. 

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Block2": {  
      "Telephone1": "1234567890",  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

B. 

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890",  
    "Block2": {  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

A. Option A

B. Option B

Correct Answer: A

#### QUESTION 4

Refer to the exhibit.

What JSON from the DRGetAccountDetails action would display all six values correctly in the OmniScript structure shown? BlkContacts is a Repeat Block.



DRGetAccountDetails  
DataRaptor Extract Action

StepAccount  
Step

Account & Contact Information

Account Name

Account Phone

Contacts

Add

Contact Name

Contact Phone

Next

DRSaveAccountDetails  
DataRaptor Extract Action

NavigateAction1  
Navigate Action

A. {  
 "Contacts": [{  
 "ContactPhone": "(212) 169-1475",  
 "ContactName": "Edward Stanos"  
 }, {  
 "ContactPhone": "(212) 189-8979",  
 "ContactName": "Leanne Tomlin"  
 }]  
}

B. {  
 "ContactPhone": "(212) 169-1475",  
 "ContactName": "Edward Stanos",  
 "ContactPhone": "(212) 189-8979",  
 "ContactName": "Leanne Tomlin",  
 "AccountPhone": "2221546450",  
 "AccountName": "Acme"  
}

C. {  
 "BlkContacts": [{  
 "ContactPhone": "(212) 169-1475",  
 "ContactName": "Edward Stanos"  
 }, {  
 "ContactPhone": "(212) 189-8979",  
 "ContactName": "Leanne Tomlin"  
 }],  
 "AccountPhone": "2221546450",  
 "AccountName": "Acme"  
}

D. {  
 "BlkContacts": [{  
 "Phone": "(212) 169-1475",  
 "Name": "Edward Stanos"  
 }, {  
 "Phone": "(212) 189-8979",  
 "Name": "Leanne Tomlin"  
 }]  
}



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

---

#### QUESTION 5

A developer writes an OmniScript that includes a DataRaptor that updates the Account status based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created.

How should the developer accomplish this task?

- A. Check the Upsert Key checkbox on the Account Status field
- B. Check the Upsert Key and Is Required for Upsert checkboxes on the Account Id field
- C. Populate the Lookup Object and Lookup Fields
- D. Check Overwrite Target For All Null Inputs checkbox on the Account Id field

Correct Answer: C

[OMNISTUDIO-DEVELOPER PDF Dumps](#)

[OMNISTUDIO-DEVELOPER VCE Dumps](#)

[OMNISTUDIO-DEVELOPER Study Guide](#)