



OMNISTUDIO-DEVELOPER^{Q&As}

Salesforce Certified OmniStudio Developer

Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/omnistudio-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

..... configure Additional input to send exactly the same data? Assume that the develop checked Send Only Additional input.



- A.

Key	Value
SecondaryAccount	%DRExtractAction:Account%
- B.

Key	Value
DRExtractAction:Account	SecondaryAccount
- C.

Key	Value
%DRExtractAction:Account%	SecondaryAccount
- D.

Key	Value
SecondaryAccount	DRExtractAction:Account

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

QUESTION 2

Refer to the following row-versioned calculation matrix.



Version 1

Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980

Version 2

Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980
CA	Mountain View	CA-MV	Jul011980	Dec311980

Version 3

Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980
CA	Mountain View	CA-MV	Jul011980	Jan311980
CA	San Carlos	CA-SC	Jul011980	Dec311980

Color Yellow - represents the rows that are shared across versions.

The developer needs to delete the row that contains the Code CA-SF. If the developer deletes that row in Version 3, what is the result?

- A. The row is delete only in Version 3.
- B. The row is deleted In Versions 2 and 3 but will remain in Version 1.
- C. The row is deleted in Version 3 and Version 1.
- D. The row is deleted in all versions

Correct Answer: A

QUESTION 3

Refer to the exhibit below. What JSON code correctly represents the step in the OmniScript Structure panel shown?



Step1
Step

Step 1

Block1

Text1

Telephone1

Block2

- A.

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890"  
  },  
  "Block2": {  
    "Checkbox1": false,  
    "Block3": {  
      "Multi-select1": "Value A;Value B"  
    }  
  }  
}
```
- B.

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890",  
    "Block2": {  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```
- C.

```
"Step1": {  
  "Block1": {  
    "Text1": "Text "  
  },  
  "Block2": {  
    "Telephone1": "1234567890 ",  
    "Checkbox1": false,  
    "Block3": {  
      "Multi - select1": "Value A;Value B "  
    }  
  }  
}
```

- A. Option A
- B. Option B
- C. Option C



Correct Answer: B

QUESTION 4

A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies. Due to the volume of the policy data and peak hours of hours of business, calls to the REST APIs sometimes take longer than expected to response.

The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript.

Given the external system's known performance issues, which configuration should be used to implement the call to the external system? Choose 2 answers

- A. Set the Timeout property on the HTTP Action in the Integration Procedure
- B. Configure a Remote action with timeout settings of 120000
- C. Check the Chainable checkbox on the integration procedure Action in the OmniScript
- D. Check the Chain on Step Check on the HTTP Action in the Integration Procedure

Correct Answer: BD

QUESTION 5

A developer need to configure a calculation procedure to calculation a subtotal using two different depending on whether the input Boolean variable is Customer is set to true or false.

How should a developer configure the calculation procedure to conditionally execute the correct formula?

- A. Use two separate Calculation Steps with the Conditional Step property selected: use the ISTRUE(isCustomer) and NOT (ISTRUE) (isCustomer) functions in the Condition syntax.
- B. Use two separate Calculation Steps with the Conditional Step property selected: reference just the isCustomer variable in the Conditional syntax (no comparison necessary)
- C. Use two separate Calculation Steps with the Conditional Step property selected: compare the isCustomer variable directly to the literal true and false values in the Condition syntax.
- D. Use a single Calculation Steps with IF statement directly in the formula definition to reference the isCustome variable and conditionally perform the appropriate calculation.

Correct Answer: B



VCE & PDF

GeekCert.com

<https://www.geekcert.com/omnistudio-developer.html>

2024 Latest geekcert OMNISTUDIO-DEVELOPER PDF and VCE dumps
Download

[OMNISTUDIO-
DEVELOPER PDF Dumps](#)

[OMNISTUDIO-
DEVELOPER Study Guide](#)

[OMNISTUDIO-
DEVELOPER Exam
Questions](#)