



P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following is NOT a WebSphere MQ v7 installable component?

- A. WebSphere MQ Broker
- B. WebSphere MQ Server
- C. WebSphere MQ Explorer
- D. WebSphere MQ Client

Correct Answer: A

QUESTION 2

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 3

What is the prefix for WebSphere MQ error messages?

- A. AMQ
- B. WMQ
- C. MQR
- D. MQE

Correct Answer: A

QUESTION 4

In order for a MQ program to send a message to another MQ program using a queue, which of the following is true?

- A. The sending program must request the receiving program's queue name from the WebSphere MQ queue manager.



- B. The sending program, the receiving program, and WebSphere MQ must all be currently running before any of the queues can be accessed.
- C. The sending program and the receiving program must agree on which queue they will use for communicating.
- D. The sending program specifies the receiver program name in a message header by which WebSphere MQ uses to send the message to the receiver program.

Correct Answer: C

QUESTION 5

What happens to messages that have been read (MQGET) from a queue as part of a transaction in the event of an error during the transaction?

- A. Message moved to dead-letter-queue.
- B. Message sent to error log.
- C. Message put back on queue.
- D. Nothing, message already consumed.

Correct Answer: D

[Latest P9530-039 Dumps](#)

[P9530-039 Practice Test](#)

[P9530-039 Study Guide](#)