



P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In order for a MQ program to send a message to another MQ program using a queue, which of the following is true?

- A. The sending program must request the receiving program's queue name from the WebSphere MQ queue manager.
- B. The sending program, the receiving program, and WebSphere MQ must all be currently running before any of the queues can be accessed.
- C. The sending program and the receiving program must agree on which queue they will use for communicating.
- D. The sending program specifies the receiver program name in a message header by which WebSphere MQ uses to send the message to the receiver program.

Correct Answer: C

QUESTION 2

If a .NET program using WebSphere MQ wishes to communicate with a Java program using WebSphere MQ, which of the following is NOT true?

- A. The Java program can use the WebSphere MQ classes for Java.
- B. The .NET program can use the WebSphere MQ classes for .NET.
- C. The Java program can use the WebSphere MQ classes for JMS.
- D. The .NET program can use the WebSphere MQ classes for NMS.

Correct Answer: D

QUESTION 3

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 4



Which of the following is NOT required for a WebSphere MQ Client program?

- A. A WebSphere MQ client programming API
- B. A synchronous connection to the queue manager
- C. Queue Manager run-time code on machine where client is running
- D. A destination on a queue manager by which to put or get messages

Correct Answer: D

QUESTION 5

Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Correct Answer: D

[P9530-039 VCE Dumps](#)

[P9530-039 Practice Test](#)

[P9530-039 Braindumps](#)