



PCAP^{Q&As}

Certified Associate in Python Programming

Pass Python Institute PCAP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pcap-31-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Python Institute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are going to read just one character from a stream called s. Which statement would you use?

- A. `ch = read(s, 1)`
- B. `ch = s.input(1)`
- C. `ch = input(s, 1)`
- D. `ch = s.read(1)`

Correct Answer: D

Reference: <https://stackoverflow.com/questions/510357/python-read-a-single-character-from-the-user>

QUESTION 2

What is the expected behavior of the following code?

```
string = str(1/3)
dummy = ''
for character in strong:
    dummy = character + dummy
print(dummy[-1])
```

- A. it raises an exception
- B. it outputs 0
- C. it outputs 3
- D. it outputs 'None'

Correct Answer: A

QUESTION 3

Assuming that the following snippet has been successfully executed, which of the equations are False? (Select two answers)



```
a=[0]
b=a [:]
a[0]=1
```

A. `len(a)== len (b)`

B. `a [0]-1 ==b [0]`

C. `a [0]== b [0]`

D. `b [0] - 1 ==a [0]`

Correct Answer: AB

```
9 a=[0]
10 b=a[: ]
11 a[0]=1
12 print (a [0]-1 ==b [0])
13 print (len(a)== len (b))
```

```
True
True

...Program finished with exit code 0
Press ENTER to exit console.
```

QUESTION 4

Which of the following lines of code will work flawlessly when out independently inside the `inc()` method in order to make the snippet's output equal to 3? (Choose two.)



```
class MyClass:
    Var = 0
    def __init__(self):
        MyClass.Var += 1
        self.prop = MyClassVar

    def get(self):
        return self.prop

    def put(self, val):
        self.prop = val

    def inc(self, val):
        # insert the line of code here

Object = MyClass()
Object.inc(2)
print(Object.get())
```

- A. `put(self.prop + val)`
- B. `self.put(get() + val)`
- C. `self.put(self.get() + val)`
- D. `self.put(self.prop + val)`

Correct Answer: CD

QUESTION 5

What is true about Python packages? (Choose two.)

- A. a package is a single file whose name ends with the `pa` extension



B. a package is a group of related modules

C. the `__name__` variable always contains the name of a package

D. the `pyc` extension is used to mark semi-compiled Python packages

Correct Answer: BC

Reference: <https://docs.python.org/3/tutorial/modules.html>

[PCAP VCE Dumps](#)

[PCAP Practice Test](#)

[PCAP Braindumps](#)