



PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer





Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pcsae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three support types are included in the Marketplace Content Packs? (Choose three.)

- A. Customer supported
- B. Contex XSOAR supported
- C. Community supported
- D. Partner supported
- E. Prisma Cloud supported

Correct Answer: BCD

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/marketplace/marketplace-overview/content-packs-support-types.html>

QUESTION 2

Which two components have their own context data? (Choose two.)

- A. Sub-playbook
- B. Task
- C. Field
- D. Incident

Correct Answer: AD

QUESTION 3

Management would like to get an incident report automatically following an incident's closure.

How would this be accomplished?

- A. Define a task in a playbook to generate an incident report before the closure occurs
- B. Manually create an `Incident Report`
- C. Configure post-processing using a script
- D. Create an `Incident Report` from the Reports page

Correct Answer: D



QUESTION 4

DRAG DROP

Match the operations with the appropriate context.

Select and Place:

Answer Area

Run a Set command manually from the CLI to save data

Save information from third party systems during fetch incidents

Run a command multiple times and save the output to a different key each time

Run the Generic Polling playbook for checking the status of a detonation process

Drag answer here

Drag answer here

Drag answer here

Drag answer here

Global Context

Private Context

Extended Context

Integration Context

Correct Answer:

Answer Area

Run a Set command manually from the CLI to save data

Save information from third party systems during fetch incidents

Run a command multiple times and save the output to a different key each time

Run the Generic Polling playbook for checking the status of a detonation process

Private Context

Global Context

Extended Context

Integration Context



QUESTION 5

A large number of incidents were deleted by mistake.

Which two architecture components can be used to recover the lost data? (Choose two.)

- A. Live backup
- B. Engine
- C. Distributed database
- D. Local backup

Correct Answer: AB

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/disaster-recovery-and-live-backup/disaster-recovery-and-backup-overview.html>

[Latest PCSAE Dumps](#)

[PCSAE PDF Dumps](#)

[PCSAE Braindumps](#)