PDI^{Q&As}

PDI$^{Q\&As}$

Salesforce Certification for Platform Developer I

Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/pdi.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which annotation exposes an Apex class as a RESTful web service?

A. AuraEnabled

B. RestResource

C. Remote Action

D. HttpInvocable

Correct Answer: A

QUESTION 2

A developer needs to write a method that searches for a phone number that could be on multiple object types. Which method should the developer use to accomplish this task?

A. SOQL Query that includes ALL ROWS

B. SOQL query on each object

C. SOSL Query that includes ALL ROWS

D. SOSL query on each object

Correct Answer: C

QUESTION 3

An Apex method, getAccounts, that returns a List of Accounts given a search Term, is available for Lighting Web components to use. What is the correct definition of a Lighting Web component property that uses the getAccounts method?

A. @AuraEnabled(getAccounts, `$searchTerm\\') accountList;

B. @wire(getAccounts, `$searchTerm\\') accountList;

C. @AuraEnabled(getAccounts, {searchTerm: `$searchTerm\\'}) accountList;

D. @wire(getAccounts, {searchTerm: `$searchTerm\\'}) accountList;

Correct Answer: D

https://developer.salesforce.com/docs/component-library/documentation/en/48.0/lwc/lwc.data_wire_service_about

QUESTION 4

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit.

```
public class without sharing OpportunityService{

    public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){
        List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>();
        for(Id thisOppId : opportunityIds){
            oppLineItems.addAll([Select Id FROM OpportunityLineItem WHERE OpportunityId = :thisOppId]);
        }
        return oppLineItems;
    }
}
```

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.

B. Use the System.Limits.getlimitQueries() method to ensure the number of queries is less than 100.

C. Refector the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.

D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Correct Answer: D

QUESTION 5

A newly hired developer discovers that there are multiple triggers on the case object.

What should the developer consider when working with triggers?

A. Developers must dictate the order of trigger execution.

B. Trigger execution order is based on creation date and time.

C. Unit tests must specify the trigger being tested.

D. Trigger execution order is not guaranteed for the same sObject.

Correct Answer: D