



PDI^{Q&As}

Salesforce Certification for Platform Developer I

Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pdi.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

Correct Answer: ADE

QUESTION 2

As part of a data cleanup strategy, AW Computing wants to proactively delete associated opportunity records when the related Account is deleted. Which automation tool should be used to meet this business requirement?

- A. Workflow Rules
- B. Scheduled job
- C. Record-Triggered Flow
- D. Process Builder

Correct Answer: C

QUESTION 3

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?

- A. Create a Sharing Rule comparing the custom object owner to the account owner.
- B. Create a validation rule on the custom object comparing the record owners on both records.
- C. Include the sharing related list on the custom object page layout.
- D. Ensure that the relationship between the objects is Master-Detail.

Correct Answer: D

QUESTION 4

An apex trigger fails because it exceeds governor limits. Which two techniques should a developer use to resolve the



problem? Choose 2 answers

- A. Use the database class to handle DML operations
- B. Use maps to reference related records
- C. Use SOQL aggregate queries to retrieve child records
- D. Use lists for all DML operations

Correct Answer: BD

QUESTION 5

The orderHelper class is a utility class that contains business logic for processing orders. Consider the following code snippet:

A developer needs to create a constant named DELIVERY_MULTIFILTER with a value of 4.15. The value of the constant should not change at any time in the code.

How should the developer declare the DELIVERY_MULTIFILTER constant to meet the business objectives?

- A. Decimal DELIVERY_MULTIFILTER = 4.15;
- B. Static final decimal DELIVERY_MULTIFILTER = 4.15;
- C. Static decimal DELIVERY_MULTIFILTER = 4.15;
- D. Constant decimal DELIVERY_MULTIFILTER = 4.15;

Correct Answer: B

[Latest PDI Dumps](#)

[PDI VCE Dumps](#)

[PDI Brindumps](#)