



PDII^{Q&As}

Salesforce Certification for Platform Developer II

Pass Salesforce PDII Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pdii.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which type of controller is best suited when you want all of the basic DML functions from an object's normal new/edit page?

- A. Standard Controller
- B. Standard List/Set Controller
- C. Controller Extensions
- D. Custom Controller

Correct Answer: A

QUESTION 2

A company accepts orders for customers in their enterprise resource planning (ERP) order__c records with a lookup field to Account. The Account object has an External ID field, ERP_Customer_ID__c. What should the integration use to create new Order__c records that will automatically be related to the correct Account?

- A. Upsert on the Account and specify the ERP_Customer_ID__c.
- B. Merge on the Order__c object and specify the ERP_Customer_ID__c.
- C. Insert on the Order__c object followed by an update on the Order__c object.
- D. Upsert on the Order__c object and specify the ERP_Customer_ID__c.

Correct Answer: C

QUESTION 3

A developer has a requirement to query three fields (Id, Name, Type) from an Account and First and Last names for all Contacts associated with the Account.

Which option is the preferred optimized method to achieve this for the Account named 'Ozone Electronics'?

- A. Account a = [SELECT ID, Name, Type FROM Account WHERE name='Ozone Electronics']; list lContacts = [SELECT firstname, lastname FROM Contact WHERE accounted=:a.ID];
- B. Account a = [SELECT ID, Name, Type, (SELECT FirstName, LastName FROM Contacts) FROM Account WHERE name='Ozone Electronics' LIMIT 1];
- C. list lContacts = new list(); for (Contact c :[SELECT firstname, lastname, Account.Name, Account.ID, Account.Type FROM Contact WHERE Account.Name='ozone electronics']) (lContacts.add(c);)
- D. list lAccounts = [SELECT ID, Name, Type FROM Account JOIN (SELECT ID, firstname, lastname FROM Contact WHERE contact.account.name = 'ozone electronics')];

Correct Answer: A



QUESTION 4

```
1 Contact con = new Contact( LastName = '\\Smith\\', Department = '\\Admin\\')
2 insert con;
3 Contact insertedContact=[select Name from Contact where id=:con.Id];
4 Savepoint sp_admin = Database.setSavepoint();
5 con.Department = '\\HR\\';
6 update con;
7 Database.rollback(sp_admin);
8 System.debug(Limits.getDmlStatements());
```

Given the following code, what value will be output in the logs by line #8?

- A. 5
- B. 3
- C. 4
- D. 2

Correct Answer: C

QUESTION 5

The Account object has a field, `auais_Code__c`, that is used to specify what type of auditing the Account needs and a Lookup to User,

`Ruditor__c`, that is the assigned auditor.

When an Account is initially created, the user specifies the `Audit_Code__c`. Each User in the org has a unique text field, `Rudi`.

that is used to automatically assign the correct user to the Account's `Auditor__c` field.



```
trigger AccountTrigger on Account(before insert) {
    AuditAssigner.setAuditor(trigger.new);
}

public class AuditAssigner {
    public static void setAuditor(List<Account> accounts) {
        for (User u : [SELECT Id, Audit_Code__c FROM User]) {
            for (Account a : accounts) {
                if (u.Audit_Code__c == a.Audit_Code__c) {
                    a.Auditor__c = u.Id;
                }
            }
        }
    }
}
```

What should be changed to most optimize the code's efficiency? Choose 2 answers

- A. Build a Map of audit code to accounts,
- B. Add an initial SOQL query to get all distinct audit codes.
- C. Build a Map of Account Id to audit codes.
- D. Add a WHERE clause to the SOQL query to filter on audit codes.

Correct Answer: CD

[PDII Practice Test](#)

[PDII Exam Questions](#)

[PDII Braindumps](#)