



PEGAPCSSA80V1_2019^{Q&As}

Pega Certified Senior System Architect (PCSSA) 80V1

Pass Pegasystems PEGAPCSSA80V1_2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/pegapcssa80v1_2019.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
Pegasystems Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Field values enable you to _____.

- A. set default values for a property
- B. test the validity of an input value
- C. customize a list of allowed values for a property based on the context of the property
- D. define the values used in a circumstance template

Correct Answer: C

QUESTION 2

A health plan application includes a process for surgical procedure requests. Currently, there is an evaluation subprocess in which a physician reviews the diagnosis and enters the recommended procedure and its urgency. The request then advances to a medical director who analyzes the feedback and approves the appropriate procedure. The health care organization has created a new requirement, which states that three physicians can perform the evaluation independently. Only two evaluations are necessary to advance the case to the medical director.

In order to allow the three physicians to review the orders in parallel, how would you configure the process?

- A. Add a Split Join shape, add a list of physicians, and call the surgical procedure request process.
- B. Add a Split For Each shape, add a list of physicians, and call the evaluation process.
- C. Add a Split Join shape, add a list of physicians, and call the evaluation process.
- D. Add a cascading approvals shape that is called by the evaluation subprocess.

Correct Answer: A

QUESTION 3

You want to display an error message to the user if the data page fails to retrieve data. The data page is sourced by a REST connector. How do you detect the error?

- A. Use a transition condition in the activity step invoking the connector
- B. Apply the standard `pxErrorHandlingTemplate` data transform in the response data transform
- C. Use the error handler flow on the connector
- D. Use a when condition in the response data transform configured for the connector

Correct Answer: B



QUESTION 4

In which situation do you configure branched rulesets?

- A. Multiple teams need to work on the same application version.
- B. You need to delegate rules to process owners from the business.
- C. A team needs to work on the next version of an application while preparing to migrate the current version.
- D. One team creates a new patch for an application while another team creates a new major version of the application.

Correct Answer: C

Reference: <https://community.pega.com/knowledgebase/articles/application-development/84/branches-and-branch-rulesets>

QUESTION 5

Which component do you use to decide between two decision logic paths in a decision strategy?

- A. Decision Tree
- B. Switch
- C. Filter
- D. Set Property

Correct Answer: D

Reference: <https://community.pega.com/knowledgebase/articles/creating-decision-strategies-headless-decisioning-scenario-pega-718-pega-721>

[PEGAPCSSA80V1_2019
PDF Dumps](#)

[PEGAPCSSA80V1_2019
VCE Dumps](#)

[PEGAPCSSA80V1_2019
Study Guide](#)