



PR000041^{Q&As}

PowerCenter Data Integration 9.x:Developer Specialist

Pass Informatica PR000041 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pr000041.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Informatica Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which combination of Transaction Control transformation and target type results in an invalid mapping? (choose one)

- A. Dynamic MQ Series target
- B. MS target
- C. Relational target
- D. XML target

Correct Answer: B

QUESTION 2

In the Expression transformation graphic below, what is the value of the PREVIOUS_STATE port for row 2, given that the value for the STATE port was '\\CA\\' for row 1?

	Port Name	Datatype	Prec	Scale	I	O	V	Expression
1	STATE	string	2	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	STATE
2	STATE_COUNTER	integer	10	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IF[PREVIOUS_STATE = STATE, STATE_COUNTER + 1, 1]
3	PREVIOUS_STATE	string	2	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	STATE
4	STATE_COUNTER_OUT	integer	10	0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	STATE_COUNTER

- A. STATE
- B. '\\CA\\'
- C. NULL
- D. Value of the PREVIOUS_STATE port is based upon its declared default value

Correct Answer: B

QUESTION 3

Which of the following PowerCenter applications is browser-based in the Informatica 9.x environment?

- A. Repository Manager
- B. Informatica Administrator
- C. Workflow Monitor



D. Workflow Manager

Correct Answer: B

QUESTION 4

Which of the following statements regarding mapplets are correct and true?

- A. A mapplet can contain a target definition
- B. A mapplet can contain a source definition as well as a source qualifier
- C. Every mapplet must have at least 1 Input transformation as well as 1 Output transformation
- D. A mapplet can contain a Normalizer transformation

Correct Answer: B

QUESTION 5

Assuming that the value of FI is 12 as it enters the decode statement, which of the following decode statements will produce the value V? Choose 2 answers



- A. `DECODE(F1,
12, 'Y',
13, 'M',
14, 'N',
'R'
)`
- B. `DECODE(F1,
F1=12, 'Y',
F1=13, 'M',
F1=14, 'N',
'R'
)`
- C. `DECODE(TRUE,
F1=12, 'Y',
F1=13, 'M',
F1=14, 'N',
'R'`
- D. `DECODE(TRUE,
12, 'Y',
13, 'M',
14, 'N',
'R'
)`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: AC

[PR000041 PDF Dumps](#)

[PR000041 VCE Dumps](#)

[PR000041 Braindumps](#)