



# PSE-STRATADC<sup>Q&As</sup>

Palo Alto Networks System Engineer Professional - Strata Data Center

## Pass Palo Alto Networks PSE-STRATADC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pse-stratadc.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1

Which three deployment modes of VM-Series firewalls are supported across NSX-T? (Choose three)

- A. Partner Service
- B. Boot Strap
- C. Prism Central
- D. Tier-1 insertion
- E. Tier-0 insertion

Correct Answer: ADE

<https://docs.paloaltonetworks.com/vm-series/9-0/vm-series-deployment/set-up-the-vm-series-firewall-onnsx/set-up-the-vm-series-firewall-on-nsx-t/supported-deployments-of-the-vm-series-firewall-on-vmwarensx-t.html>



You can deploy one or more instances of the VM-Series firewall as a partner service in your VMware NSXT Data Center. Attach a VM-Series firewall to any tier-0 or tier-1 logical router to protect north-south traffic. You can deploy the VM-Series firewall as standalone service instance or two firewalls in a high-availability (HA) pair. Panorama manages the connection with NSX-T Manager and the VM-Series firewalls deployed in your NSX-T software-defined datacenter. Tier-0 Insertion--Tier-0 insertion deploys a VM-Series firewall to a tier-0 logical router, which processes traffic between logical and physical networks. When you deploy the VM-Series firewall with tier-0 insertion, NSX-T Manager uses the deployment information you configured on Panorama to attach a firewall to a tier-0 logical router in virtual wire mode. Tier-1 Insertion--Tier-1 insertion deploys a VM-Series firewall to a tier-1 logical router, which provides downlink



connections to segments and uplink connection to tier-0 logical routers. NSX-T Manager attaches VM-Series firewalls deployed with tier-1 insertions to a tier-1 logical router in virtual wire mode. After deploying the firewall, you configure traffic redirection rules that send traffic to the VM-Series firewall when crossing a tier-0 or tier-1 router. Security policy rules that you configure on Panorama are pushed to managed VM-Series firewalls and then applied to traffic passing through the firewall.

---

## QUESTION 2

Which two options describe use cases of internal and external tags in Panorama? (Choose two)

- A. device group membership
- B. template membership
- C. Dynamic Address Group membership
- D. rule grouping

Correct Answer: AC

---

## QUESTION 3

A single VM runs a web server and a DNS server. A separate VM needs to access the DNS server, but is not allowed to access the web server.

What network control functionality is necessary to enforce this security posture?

- A. can use a Palo Alto Networks NGFW for this requirement, but not a port filter firewall.
- B. can use either a Palo Alto Networks NGFW or a port filter firewall for this requirement.
- C. can use a port filter firewall for this requirement but not the Palo Alto Networks NGFW.
- D. can use a specialized VM with advanced threat protection for this requirement

Correct Answer: C

---

## QUESTION 4

Which features are included in the less-expensive license bundle meant for NSX?

- A. capacity license, premium support, a threat prevention subscription. and GlobalProtect
- B. capacity license and premium support
- C. capacity license, premium support and a threat prevention subscription



D. capacity license and a threat prevention subscription

Correct Answer: B

<https://docs.paloaltonetworks.com/vm-series/8-1/vm-series-deployment/license-the-vm-series-firewall/license-typesvm-series-firewalls>

---

#### QUESTION 5

What are two ways to size a VM-Series firewall deployment to secure a VMware ESXi environment? (Choose two)

- A. one per virtual network
- B. one per vCenter server
- C. one per SaaS application in use
- D. one per ESXi host

Correct Answer: AC

[PSE-STRATADC PDF Dumps](#)

[PSE-STRATADC Exam Questions](#)

[PSE-STRATADC Braindumps](#)