QSDA2018^{Q&As}

Qlik Sense Data Architect Certification Exam

Pass Qlik QSDA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/qsda2018.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Refer to the exhibit.

Name	Type	Size
Day1.csv	Microsoft Excel C...	1 KB
Day1.log	Text Document	1 KB
Day2.csv	Microsoft Excel C...	1 KB
Day2.log	Text Document	1 KB
Day3.csv	Microsoft Excel C...	1 KB

A system creates log files and csv files daily and places these files in a folder. The log files are named automatically by the source system and charge regularly. All csv files must be loaded into Qlik Sense for analysis.

Which method should be used to meet the requirements?

A.
```
LOAD *
FROM [lib://Data (User1)/multi/*]
(txt);
```

B.
```
SET vLib = chr(39) & 'lib://Data (User1)/multi/*.csv' & chr(39);
FOR EACH File in filelist($(vLib))
 LOAD * FROM [$(File)];
NEXT
```

C.
```
SET vFileList = 'Day1','Day2','Day3';
FOR EACH vFile in $(vFileList)
LOAD * FROM [lib://Data (User1)/multi/$(vFile).csv];
NEXT
```

D.
```
LOAD *
FROM [lib://Data (User1)/multi/*]
(csv);
```

A. B. C. D.

Correct Answer: D

QUESTION 2

Refer to the exhibits.

Region
Region.ID
Region
EmployeeID
Sales

▼ Preview

Region	
Rows	14
Fields	4
Keys	0
Tags	$numeric $integer $ascii $text

Preview of data

Region.ID	Region	EmployeeID	Sales
1	North	-	-
2	West	-	-
4	South	-	-
5	-	-	-
1	-	111	100
1	-	222	50
1	-	333	150

⊘ ▼	≔ ▼	⊕ App1		🖥 ▼	🔖 ▼	✎ Edit	Sheet1 📊 ▼	‹	›
🔍	⟲	⟳	No selections applied				📌	**‖Q Insights**	

Sheet1

Region	Q	Region.ID	Q	Sum(Sales)
Totals				1425
North		1		0
South		4		0
West		2		0
-		1		300
-		2		225
-		3		200
-		4		300
-		5		0
-		-		400

Executives need to see the total sales by region for the current year. The data architect inherits App1 from the former employee who tries to address this requirement. Two Microsoft Excel spreadsheets, Region and Employee, are used as the data source. The data architect creates a table and identifies errors in the amount of sales per region.

Which method should the data architect use to resolve the errors?

A. In the data manager, split the region table and associate by EmployeeID

B. In the data manager, concatenate the Region table and associate by Region.ID

C. In the data load editor, concatenate the region and Employee tables

D. In the data manager, split the region table and associate by Region.ID

Correct Answer: D

QUESTION 3

Stocks levels are stored online in a system that keeps information for the current period only.

What should the data architect do to enable analysis of the trends of the stock levels?

A. Use On-Demand App Generation (ODAG) to create new apps from the selected period

B. Capture the periodic information in an incremental QVD file for use in an app

C. Create an app for each period as it changes and use document chaining

D. Create an app for each period and use a binary load task to create a single app

Correct Answer: B

QUESTION 4

A car manufacturer has several QlikView apps. The manufacturer decides to migrate some specific apps to Qlik Sense. The manufacturer decides to migrate some specific wants to reuse front-end variables from the previous QlikView app.

Which strategy should a data architect use to meet these requirements?

A. Use the QlikView converter within the Dev Hub of Qlik Sense

B. Drag and drop a QVM file into the Qlik Sense hub and create a new app

C. Export the existing LOAD script into a QVS file for later reuse in Qlik Sense

D. Copy and paste the LOAD script of the existing QlikView app into the new app.

Correct Answer: A

QUESTION 5

A data architect is working on a time and expense app for an organization that has Sales, Marketing, and Finance departments/ Department managers should only be able to view the data for their department\\'s team members.

Where should the data architect apply this security restriction?

A. Data load editor

B. Qlik Management Console

C. Expression editor

D. Data manager

Correct Answer: A