



# QSDA2018<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam

**Pass Qlik QSDA2018 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/qsda2018.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.

```
Section Access;  
LOAD * inline [  
ACCESS, USERID, REGION  
ADMIN, DOMAIN\A, NORTH  
ADMIN, DOMAIN\A, WEST  
ADMIN, DOMAIN\B, EAST  
];
```

```
Section Application;  
LOAD * inline [  
REGION,  
NORTH,  
EAST,  
WEST,  
SOUTH  
];
```

How should the account that runs the Qlik Sense Services be configured in the Section Access table?

- A. ADMIN, QLIK\_SERVICES,
- B. ADMIN, DOMAIN/QLIK\_SERVICES,
- C. ADMIN, QLIK\_SERVICES,\*
- D. ADMIN, DOMAIN\QLIK\_SERVICES,\*

Correct Answer: C

---

### QUESTION 2

A customer must create a production app that pulls data from two sources.

Source 1 is large legacy system. It takes more than one hour to read and save the data to QVD. reading from the QVD only takes 20 seconds. The data only needs to be refreshed every month because it does not change very often.

Source 2 is small online data source. reloading this data takes less than one minute. The production app must be refreshed every hour to see the most updated data and needs both data sets to meet te analysis requirements.

How should the data architect set up the data reload?

- A. 1. Create two QVD generation apps



2.

Create two scheduled tasks: one runs every month and one runs every hour

3.

Load the data in the production app from the QVDs

4.

Create a task to run every hour to reload the production app

B. 1. create a QVD generation app to pull both data sources in different script sections

2.

Create two reload schedules from the QVD app based on the script section

3.

Build the production app using the QVD files

4.

Create a task to run every hour to reload the production app.

C. 1. Create the production app to connect to both data sources

2.

Create a variable and set this to the last reload time using ReloadTime() function

3.

Use an IF() statement and only load the legacy data when Today() > 30 days from last reload

4.

Create a task to run every hour to reload the production app

D. 1. Create a QVD generation app for the legacy system only

2.

Create a scheduled task to generate the QVD every month

3.

Build the production app using the QVD and use ADD LOAD prefix to connect to the online data source

4.

Create a task to run every hour to perform a partial reload on the production app

Correct Answer: A



**QUESTION 3**

Refer to the exhibit.

DataKey	Field1	Field2	Field3
2F1E7FC0-81FD-1XDA-9156-00036D0F876A	12345678-888b-cCCCC-0000-123456789012	30dd879c-ee2f-11db-8314-0800200c9a66	
2F1E7FC0-81FD-1XDA-9156-00036D0F945A		30dd879c-ee2f-11db-8314-0800200c9a67	DD345678-ABCD-ABCD-0000-DDDDAAAA9013
2F1E7FC0-81FD-1XDA-9156-00036D0E120A	12345678-888b-cCCCC-0000-123452342345	30dd879c-ee2f-11db-8314-0800200c9a68	
2F1E7FC0-81FD-1XDA-9156-00036D0E230A	12345678-888b-cCCCC-0000-123456789012		DD345678-ABCD-ABCD-0000-DDDDAAAA9015
2F1E7FC0-81FD-1XDA-9156-00036D0E320A		30dd879c-ee2f-11db-8314-0800200c9a70	DD345678-ABCD-ABCD-0000-DDDDAAAA9016
2F1E7FC0-81FD-1XDA-9156-00036D0E430A	12345678-888b-cCCCC-0000-123452342345	30dd879c-ee2f-11db-8314-0800200c9a71	
2F1E7FC0-81FD-1XDA-9156-00036D0E540A	12345678-888b-cCCCC-0000-123456789012		DD345678-ABCD-ABCD-0000-DDDDAAAA9018

A global company recently released an app that uses much more memory than similar apps have used. When reviewing data in the data manager, the data architect observes that several fields use Globally Unique Identifiers (GUIDs).

There is one key field. other fields are used to different KPIs to count the number records. The data architect must reduce the memory used as much as possible.

Which steps should a data architect take to meet these requirements?

- A. 1. Use the AutoNumber function to convert the linking GUIDs to numbers
- 2. Replace the non-key GUID fields with a flag, and use them to get a unique count for KPIs
- B. 1. Replace the non-key field GUIDs with RowNo() to maintain a field that can be used to get a unique count
- 2. Split the linking GUID fields into five sections using the SubField function to reduce the uniqueness.
- C. 1. Use the AutoNumber function to convert the linking GUIDs to numbers
- 2. Use Indexing for non-key GUID fields to create an Index field and use to get a unique count for KPIs
- D. 1. Use the IterNo() function to convert the linking GUIDs to numbers
- 2. Replace the non-linking GUID fields with RowNo() to create an Index field and use to get a unique count for KPI

Correct Answer: D

**QUESTION 4**

Refer to the exhibits.



CatID	Value
0A8A1DA5-AA23-C713-CB2A-83CABA5FD517	189
1C5B14DF-B613-10D2-DBCf-C8FA535F059C	316
03A0D34F-F7DA-AE7F-C1B0-392531DC42DB	704
4B8496DA-B5B6-7F74-3BC9-076EA855A570	327
5A4AC55E-AE0C-0432-344A-2F7B8E7CC066	888
5A30CE40-2B91-B114-0DA4-3144C1DF37E3	371
5B80F7B7-A730-5C8F-932F-9E22BB77D43E	-
9E8495EB-9DB0-C80A-709B-CA2DC3E6224E	596
26C4AEF9-E8D2-3E87-00E7-6251CD4513FE	924
042A4655-D3EC-3758-42B0-6046069F3BB3	639
58C38173-DD6A-BADB-2670-494612A8D38A	-
60BDE857-72EF-93AE-6F39-6FF551F1A420	-
7000705-5520-0010-0000-000000000000	700

```
LIB CONNECT TO 'DemoCORP SQL Server';
```

```
Values:
```

```
LOAD
```

```
    CatID,
```

```
    Value
```

```
FROM SalesDB.AgregatedValues;
```

```
left join
```

```
LOAD
```

```
    CatID,
```

```
    ProdID
```

```
FROM SalesDB.Categories;
```



Values
CatID
Value
ProdID

Value	
Density	100%
Subset ratio	100%
Has duplicates	true
Total distinct values	28
Present distinct values	28
Non-null values	31

Business analytics report data issues in the Value field of a table since the latest reload of the data.


What causing this issue?

- A. Null values in the source data
- B. Hyphen characters (‘-’) in the source data
- C. Pre-aggregated data is being used
- D. Some categories do NOT exist in the Category table

Correct Answer: A

#### QUESTION 5

Refer to the exhibit.



A data architect needs to resolve a synthetic key and make sure that users can see the unique department name and hospital name for each order.

Which action should the data architect take?

- A. Remove DepartmentID from the LOAD statement for the Orders table
- B. Remove HospitalID from the LOAD statement for the Orders table
- C. Remove the Departments table from the LOAD script
- D. Remove the Hospitals table from the LOAD script

Correct Answer: B

[QSA2018 VCE Dumps](#)

[QSA2018 Study Guide](#)

[QSA2018 Braindumps](#)