



# QSDA2018<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam

**Pass Qlik QSDA2018 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/qsda2018.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

Refer the exhibit.

Sales	Customers	Employees
SaleID	CustID	EmployeeID
CustomerID	CustName	EmployeeName
Amount	Address	MgrID
SaleDate	City	
SalesPersonID	State	
RegionalAcctMgrID	Zip	

A new app is being developed. Users need to see:

Total sales for each customer

Total sales for given state


Customers that have not had any sales

Names of salesperson and regional manager

Total number of sales by date


The data architect constructs several data models and tests the validity of each model.

Which two data models meet these requirements? (Choose two.)



A.

The data architect aliases the MrgID field to RegionalAcctMgrID and the CustID field in the Customers table.



B.

The data architect loads two copies of the Employees table, aliases the appropriate fields, and aliases the CustID field when loading the Customers table.



C.

The data architect performs two Left Joins to the Sales table to get the Employee names and loads the Customers table aliasing the CustID field.



Sales
SaleID
CustomerID
Amount
SaleDate
SalespersonName
RegionalMgrName
Region
CustName
Address
City
State
Zip

D.

The data architect performs three Left Joins to load the Customer and Employee data fields into the Sales table.

Correct Answer: BD

## QUESTION 2

Payroll managers need access to the payroll system to complete a quarterly report. A username and password is required to access the payroll system through an ODBC connection. Only the system administrator should have access to the credentials and make updates as needed. Each payroll manager who access the app should only see their own employees.

Which two actions are required to set up the appropriate security? (Choose two.)

- A. Make sure that the administrator creates appropriate sync rules to access the payroll system
- B. Apply the correct section access to restrict data visibility
- C. Make sure that the administrator applies security rules to the correct stream to restrict data visibility
- D. Apply security rules to the app to restrict data visibility
- E. Make sure that the administrator applies the correct security rules to the ODBC connection

Correct Answer: BE

## QUESTION 3



A data architect has a QVD file that contains data from many countries. The data architect must write a script that loads only data from France, and make sure the reload occurs as fast as possible.

Which script should the data architect use to meet these requirements?

- A. T1:
- ```
LOAD * INLINE [
Country
France ];

LOAD * FROM TRANSACTIONS.qvd (qvd) Where EXISTS (Country) ;

DROP Table T1 ;
```
- B. LOAD \* FROM TRANSACTIONS.qvd (qvd) Where Match(Country, 'France');
- C. LOAD \* FROM TRANSACTIONS.qvd (qvd) Where Country='France';

A. B. C.

```
T1:
LOAD * INLINE [
Country
France ];

LOAD * FROM TRANSACTIONS.qvd (qvd) Where Match(Country, 'France') ;

DROP Table T1 ;
```

D.

Correct Answer: A

#### QUESTION 4

The dates are stored as strings in the database. The data architect must convert the dates to date format. The reload must be as fast as possible.

Which script should the data architect use?

```
Transactions:
LOAD * ;
SQL SELECT Date#(TransactionDate, 'YYYY-MM-DD') as TransactionDate FROM ...;
```

A.



- B. Transactions:  
LOAD Date#(TransactionDate,'YYYY-MM-DD') as TransactionDate;  
SQL SELECT TransactionDate FROM ...;
- C. T1:  
LOAD \*;  
SQL SELECT TransactionDate FROM ...;  
Transactions:  
LOAD Date#(TransactionDate,'YYYY-MM-DD') as TransactionDate resident T1;  
Drop table T1;
- D. Transactions:  
LOAD \* ;  
SQL SELECT Date(TransactionDate,'YYYY-MM-DD') as TransactionDate FROM ...;

B. C. D.

Correct Answer: B

## QUESTION 5

Refer to the exhibit.

|   | A          | B               | C       |
|---|------------|-----------------|---------|
| 1 | Product ID | Attribute       | Value   |
| 2 | AE001      | Color           | Blue    |
| 3 | AE001      | Material        | Cotton  |
| 4 | AE001      | Available Sizes | S - XXL |
| 5 | AD002      | Color           | Red     |
| 6 | AD002      | Material        | Cotton  |
| 7 | AD002      | Available Sizes | M       |
| 8 |            |                 |         |

A fashion retail company needs to analyze data product inventory. The company needs to filter by attributes by such as color, material, and size.

Which strategy should a data architect use to meet these requirements?

- A. Turn data rows into fields by using a generic load
- B. Use the hierarchy load statement to expand hierarchy levels
- C. Use crosstable in the load statement to unpivot
- D. Loop through the table to transpose fields

Correct Answer: A



VCE & PDF

GeekCert.com

<https://www.geekcert.com/qsda2018.html>

2024 Latest geekcert QSDA2018 PDF and VCE dumps Download

---

[Latest QSDA2018 Dumps](#)

[QSDA2018 VCE Dumps](#)

[QSDA2018 Study Guide](#)