



QSDA2019^{Q&As}

Qlik Sense Data Architect Certification Exam - June 2019 Release

Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/qsd2019.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
Section Access;  
LOAD * INLINE [  
ACCESS, USERID, GROUP, REGION, OMIT  
USER, DOMAIN\USER1, Program Manager, *, UK  
USER, DOMAIN\USER2, Training, IT, Salary  
USER, DOMAIN\USER3, Presales, UK, Salary  
USER, DOMAIN\USER4, Training, NL, Salary  
];  
  
Section Application;  
LOAD * INLINE [  
REGION, Description  
DE, Germany  
IT, Italy  
UK, United Kingdom  
NL, The Netherlands  
];
```

USER1 has an app protected using this Section Access statement. Which countries can USER1 see in the app\''

- A. Germany. Italy, United Kingdom, The Netherlands
- B. Italy, The Netherlands
- C. Italy, United Kingdom, The Netherlands
- D. Germany Italy, The Netherlands


Correct Answer: D

QUESTION 2

Refer to the exhibit.



CustomerID	CompanyName	ContactName	DivisionID	OrderID	EmployeeID	ShipperID	FreightWeight	OrderDate
10	Big Foot Shoes	James Hendersson	2	-	-	-	-	-
27	Il Pantaloni di la Camorra	Don Corleone	1	-	-	-	-	-
44	Warp AG	Klaus Deum	1	-	-	-	-	-
44	-	-	-	6571	33	2	78,5	31/03/2019
44	-	-	-	6570	16	1	74,84	31/03/2019
10	-	-	-	6569	19	5	80,69	30/03/2019
10	-	-	-	6568	32	5	41,54	30/03/2019



A data architect needs to analyze the number of orders by customer. The data is stored in two Excel files: Orders and Customers. The data architect creates a bar chart, but the data is obviously incorrect.

What should the data architect do to resolve this issue?

- A. Open the data manager, split the Customers table, and Concatenate Orders and Customers on the CustomerID field
- B. Open the data manager split the Customers table, and associate on CustomerID
- C. Open the data load editor, use CONCATENATE to concatenate Orders and Customers
- D. Open the data load editor, rename the CustomerID field, and concatenate Orders and Customers

Correct Answer: A

QUESTION 3

Refer to the exhibit.



```
// **** Set Variables ****
LET vLoadStart = NOW();
SET vPathExcel = 'lib://ExcelFiles (abc_user)';

// **** Load Employees table ****
Employees:
LOAD
  EmpID AS EmployeeID,
  "First Name",
  "Last Name",
  DateOfBirth,
  StartDate,
  EndDate,
  OfficeID,
  JobTitle
FROM [$(vPathExcel)employees.xlsx]
(ooxml, embedded labels, table is Employees);

set vLoadComplete = now();
```

What are the values of the variables vLoadStart and vLoadComplete after the script executes?

- A. vLoadStart: \NOW()\ vLoadComplete: current system date and time when the script ended
- B. vLoadStart: system date when the app was opened vLoadComplete \now()\
- C. vLoadStart: system date when the app was opened vLoadComplete: current system date and time when the script ended
- D. vLoadStart: current system date and time when the script started vLoadComplete: \now()\

Correct Answer: B

QUESTION 4

A table is generated resulting from the following script

```
LOAD *,
Date(OrderTime) as Date;
LOAD * INLINE [
Order, OrderTime
'ABC',2017-03-12 10:20:15
'XYZ',2017-03-12 11:21:15
'DEF',2017-03-12 10:21:35];
```

When the data architect selects a date, some, but NOT all, orders for that date are shown How should the data architect modify the script to show all orders for the selected date? A)



```
LOAD *,
Date#(OrderTime, 'YYYY-MM-DD') as Date;
LOAD * INLINE [
Order, OrderTime
'ABC', 2017-03-12 10:20:15
'XYZ', 2017-03-12 11:21:15
'DEF', 2017-03-12 10:21:35];
```

B)

```
LOAD *,
Floor(MakeDate(OrderTime, 'YYYY-MM-DD')) as Date;
LOAD * INLINE [
Order, OrderTime
'ABC', 2017-03-12 10:20:15
'XYZ', 2017-03-12 11:21:15
'DEF', 2017-03-12 10:21:35];
```

C)

```
LOAD *,
Date(Floor(OrderTime), 'YYYY-MM-DD') as Date;
LOAD * INLINE [
Order, OrderTime
'ABC', 2017-03-12 10:20:15
'XYZ', 2017-03-12 11:21:15
'DEF', 2017-03-12 10:21:35];
```

D)

```
LOAD *,
Date(OrderTime, 'YYYY-MM-DD') as Date;
LOAD * INLINE [
Order, OrderTime
'ABC', 2017-03-12 10:20:15
'XYZ', 2017-03-12 11:21:15
'DEF', 2017-03-12 10:21:35];
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

**QUESTION 5**

A data architect needs to create an app that combines employee data from the Sales system and the Human Resources (HR) system. These systems identify employees differently. Employees in the HR system are identified with an alphanumeric key. Employees in the Sales system are identified using an integer key. The Human Resources manager creates a table which maps these keys to one another, called Associations. The resultant data model must meet the following requirements: Associations must be valid. The model must be optimized for performance. The option must support multiple tables added from both systems now and in the future.

Which function should the data architect use to meet these requirements?

- A. `APPLYMAP ('Associations' , EmployeeKey) AS EmployeeKey;`
- B. `MAP EmployeeKey USING Associations;`
- C. `RENAME FIELDS USING Associations;`
- D. `MapSubString('Associations', EmployeeKey) AS EmployeeKey;`

Correct Answer: A

[QSDA2019 Practice Test](#)

[QSDA2019 Study Guide](#)

[QSDA2019 Exam Questions](#)