

# QSDA2019<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam - June 2019 Release

## Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/qsda2019.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

Refer to the exhibit.

CompaniesDetails:
LOAD [CompanyID],
Age(Today(),CompanyStarted) as CompanyAge;
LOAD
[CompanyID],
[CompanyStarted]
FROM [lib://MyDataFiles/DAExam1.xlsx]
(ooxml, embedded labels, table is [Company Names]);
let a = FieldName(2 ,'CompaniesDetails');
Trace \$(a);
CompaniesDesc:
LOAD
[CompanyID],
[CompanyDescription],
[CompanyName]
FROM [lib://MyDataFiles/DAExam1.xlsx]
(ooxml, embedded labels, table is [Company Names]);

A business analyst reports that the \\'CompanyAge\\' field does NOT display for users The data architect examines the LOAD script and wants to place the breakpoint in the script to check the field name. Which line number should the data architect use?

A. 242 because field name appears in the output Panel of the debugger

B. 251 because the field name appears in the Variable panel of the debugger

C. 251 because the field name appears in the Qlik Log files

D. 251 because the field name appears in the Output panel of the debugger

Correct Answer: D

#### **QUESTION 2**



A data architect builds a data model for a large user group. Some sheets will be published, and the app will

allow users to create their own visualizations and analyze data. Some fields must NOT appear in any field

list.

How should a data architect meet these requirements?

- A. Use HidePrefix variable
- B. Add fields to master items
- C. Use security rules
- D. Use HideField variable

Correct Answer: A

#### **QUESTION 3**

Refer to the exhibit.

	Calendar %Date 👂 Year Quarter Month	Revenu %Date %Regio Revenu Produc	p nID p ie	Reg	gionID 🔎 Ion ager	
Foreca	st					
Foreca Region	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18
Region	075NR	Feb-18 40	Mar-18 25	Apr-18	May-18	Jun-18
	Jan-18			Apr-18	May-18	Jun-18
Region EMEA	Jan-18 32	40	25	Apr-18	May-18	Jun-18

A business department is forecasting revenue within an Excel spreadsheet. A data architect needs to

include this forecast into the existing data model, and without losing any data.

Which two sets of steps will meet these requirements? (Select two.)



A. 1. Load the Excel spreadsheet using the data load editor

2.

Use the Unpivot function

3.

Use the Sum function to group the forecast by date

4.

Connect to the existing data model

- B. 1. Load the Excel spreadsheet using the data load editor
- 2. Use the Crosstable function to unpivot the table
- 3 Create a composite key out of the date and region
- 4 Connect the new table to the data model
- C. 1. Load the Excel spreadsheet using the data load editor

2.

Change the sort order by date

3.

Create a composite key out of the forecast and region

4.

Connect to the existing data model

D. 1. Load the Excel spreadsheet into the data manager

2.

Use the Unpivot function

3.

Create a composite key from the date and region

4.

Connect the new table to the data model

E. 1. Load the Excel spreadsheet using the data manager

2.

Rename the ForecastDate field to Date

3.



Disable the Region

4.

Connect to the existing data model

Correct Answer: D

### **QUESTION 4**

A data architect is using an Include statement to load the collection of variables from a TextFiles folder connection into an app. The data architect needs to load the data and generate an error if it fails. Which statement should the data architect use?

A. \$