



QSDA2019^{Q&As}

Qlik Sense Data Architect Certification Exam - June 2019 Release

Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/qsd2019.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.





▼ Preview

Add as dimension

Add as measure

Sales Rep

| | |
|-------------------------|---------------------------|
| Density | 100% |
| Subset ratio | 59.3% |
| Has duplicates | false |
| Total distinct values | 64 |
| Present distinct values | 38 |
| Non-null values | 38 |
| Tags | \$key \$numeric \$integer |

Refer to the exhibits.

While using an app, the users report that some Sales Reps do NOT have personal details, like Division or Address Number. A data architect has been called in to investigate. The data architect uses the data model viewer to determine the relationship between the SalesRepMaster and CustomerMaster tables.

What is the cause of the issue?

- A. 26 values for Sales Rep are null in CustomerMaster
- B. 40.7% of the Sales Rep have CustomerMaster information
- C. 59.3% of the Sales Rep have CustomerMaster information
- D. Density is 100% while Total Distinct and Present Distinct are NOT the same

Correct Answer: D

QUESTION 2

Refer to the exhibit.



```
Section Access:
SecurityTable:
Load * INLINE [
ACCESS, USERID, LINK, OMIT
ADMIN, ABC\QSERVICE, LEVEL
USER, ABC\EFN, *,
USER, ABC\JCS, *,
USER, ABC\MMD, NA,
USER, ABC\MMD, SA,
USER, ABC\HDD, EMEA,
USER, ABC\PPP, *, LEVEL
];
```

The Section Access security table for an app is shown User ABC\PPP opens a Qlik Sense app with a table using the field called LEVEL on one of the table columns.

What is the result?

- A. The user gets an "Invalid visualization" error
- B. The table is displayed without the LEVEL column
- C. The table is removed from the user interface
- D. The user gets a "Field not found" error

Correct Answer: A

QUESTION 3

A company decides to migrate all apps from QlikView to Qlik Sense. After converting an apps: there are several unconverted objects.

What should the data architect do?

- A. Save the unconverted objects as extensions and import them into Qlik Sense
- B. Remove the set analysis statements from the unconverted objects
- C. Re-create the unconverted objects
- D. Save the unconverted objects as master items

Correct Answer: A

QUESTION 4

Refer to the exhibit.



```
239
240     CompaniesDetails:
241     LOAD [CompanyID],
242           Age(Today(),CompanyStarted) as CompanyAge;
243     LOAD
244           [CompanyID],
245           [CompanyStarted]
246
247     FROM [lib://MyDataFiles/DAExam1.xlsx]
248     (ooxml, embedded labels, table is [Company Names]);
249
250     let a = FieldName(2, 'CompaniesDetails');
251     Trace $(a);
252
253     CompaniesDesc:
254     LOAD
255           [CompanyID],
256           [CompanyDescription],
257           [CompanyName]
258     FROM [lib://MyDataFiles/DAExam1.xlsx]
259     (ooxml, embedded labels, table is [Company Names]);
260
```

A business analyst reports that the 'CompanyAge' field does NOT display for users. The data architect examines the LOAD script and wants to place the breakpoint in the script to check the field name. Which line number should the data architect use?

- A. 242 because field name appears in the output Panel of the debugger
- B. 251 because the field name appears in the Variable panel of the debugger
- C. 251 because the field name appears in the Qlik Log files
- D. 251 because the field name appears in the Output panel of the debugger

Correct Answer: D

QUESTION 5

A data architect needs to create an app that combines employee data from the Sales system and the Human Resources (HR) system. These systems identify employees differently. Employees in the HR system are identified with an alphanumeric key. Employees in the Sales system are identified using an integer key. The Human Resources manager creates a table which maps these keys to one another, called Associations. The resultant data model must meet the following requirements: Associations must be valid. The model must be optimized for performance. The option must



support multiple tables added from both systems now and in the future

Which function should the data architect use to meet these requirements?

- A. APPLYMAP { '\\Associations\\' , EmployeeKey) AS EmployeeKey;
- B. MAP EmployeeKey USING Associations;
- C. RENAME FIELDS USING Associations;
- D. MapSubString('\\Associations\\', EmployeeKey) AS EmployeeKey;

Correct Answer: A

[Latest QSDA2019 Dumps](#)

[QSDA2019 Study Guide](#)

[QSDA2019 Braindumps](#)