



RHIA^{Q&As}

Registered Health Information Administrator

Pass AHIMA RHIA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/rhia.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by AHIMA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In the ICD-9-CM classification system, severe shock due to third-degree burns sustained in an industrial accident would be coded as a(n)

- A. current injury.
- B. late effect.
- C. mechanical complication of an internal prosthetic device.
- D. abnormal reaction of the body to the presence of an internal prosthetic device.

Correct Answer: A

QUESTION 2

MMBC receives the best reimbursement for well child visits from Make Me Better Clinic (MMBC) provides well child visits and childhood immunizations for four insurance companies. Data on the services they provided and the reimbursement they received from the four companies are listed in the two tables below:

Table 1

Insurance Company	Number of Well child visits	Reimbursement from payer for each
Lifecare	259	\$ 31,196.55
Getwell	786	\$ 100,859.52
SureHealth	462	\$ 54,631.50
BeHealthy	219	\$ 26,991.75

Table 2

Insurance Company	Number of Immunizations	Reimbursement from payer
Lifecare	412	5.28
Getwell	1465	6.18
SureHealth	609	5.88
BeHealthy	417	5.08



- A. Lifecare.
- B. Getwell.
- C. SureHealth.
- D. BeHealthy.

Correct Answer: B

QUESTION 3

A patient who is HIV positive and currently asymptomatic is admitted with a compound fracture of the tibia. The patient was treated previously for pneumocystis carinii pneumonia. Given the following codes, which is the correct coding and sequencing?

042	Human Immunodeficiency Virus (HIV) disease
136.3	Pneumocystosis (pneumonia due to Pneumocystis carinii)
V08	Asymptomatic HIV infection status
823.80	Fracture of tibia alone, unspecified part, closed
823.90	Fracture of tibia alone, unspecified part, open

- A. 823.90, V08
- B. 823.90, 042
- C. 823.80, V08, 136.3
- D. 823.80, 042

Correct Answer: B

QUESTION 4

Decortication of left lung

- A. 01638-LT
- B. 00542-LT
- C. 00546-LT
- D. 00500-LT

Correct Answer: B



QUESTION 5

The researchers in the previous question wonder if there is any relationship between patient age and average fasting blood sugar. The best data display tool the researchers could use to look for a possible relationship would be a

- A. pareto diagram.
- B. line graph.
- C. scatter diagram.
- D. cause and effect diagram.

Correct Answer: C

[Latest RHIA Dumps](#)

[RHIA VCE Dumps](#)

[RHIA Study Guide](#)