



RPFT^{Q&As}

Registry Examination for Advanced Pulmonary Function Technologists

Pass Test Prep RPFT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/rpft.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is a valid reason for using biologic controls for DLCo?

- A. Establishing precision of the procedure
- B. Identifying the source of gas analyzer error
- C. Assessing accuracy of the volume measuring device
- D. Determining the lower limit of normal values

Correct Answer: C

QUESTION 2

A subject has the following values reported:

R_{aw}	2.5 cm H ₂ O/L/sec
V_{TG}	2.0 L

What is the SGAW?

- A. 0.20
- B. 0.80
- C. 1.25
- D. 0.40

Correct Answer: C

QUESTION 3

After finishing the exercise portion of a test for exercise-induced bronchospasm, a patient complains of difficulty "catching her breath." A pulmonary function technologist should

- A. Give the patient a bronchodilator.
- B. Administer oxygen at 2 L/min.
- C. Instruct the patient to breathe normally.
- D. Have the patient perform an FVC maneuver.

Correct Answer: A

**QUESTION 4**

While setting up an exercise laboratory in a city with an altitude of 8,600 ft (2,775 m), a pulmonary function technologist notices the fuel cell O₂ analyzer is displaying 15.2%. Which of the following is the best explanation for this finding?

- A. This exercise system will not work at high altitude.
- B. The analyzer is responding to P₁O₂.
- C. F₁O₂ decreases with increasing altitude.
- D. The fuel cell needs to be changed.

Correct Answer: B

QUESTION 5

The normal response to an increasing PaCO₂ is

- A. To maintain a constant VE until the PaCO₂ exceeds 55 torr.
- B. A decrease in VE of 2 to 5 L/min/torrPCO₂.
- C. An increase in VE of 1 to 6 L/min/torr PCO₂.
- D. An increase in VE of 10 to 15 L/min/torrPCO₂.

Correct Answer: C

[RPFT PDF Dumps](#)

[RPFT Study Guide](#)

[RPFT Exam Questions](#)