



S90.03^{Q&As}

SOA Design & Architecture

Pass SOA S90.03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/s90-03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SOA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements correctly explains the difference between the Service Abstraction and Service Loose Coupling principles? Select the correct answer.

- A. Service Abstraction is focused on dependencies that exist between the service contract and its underlying logic, whereas Service Loose Coupling is focused on fostering "loose state" in support of runtime state deferral
- B. Service Abstraction is focused on agnostic service logic only in order to establish an agnostic abstraction layer, whereas Service Loose Coupling is focused on the relationship between the service contract and service consumers.
- C. Service Abstraction is focused on hiding information about service implementation details, whereas Service Loose Coupling is focused on the positioning of the service contract in relation to the service implementation and service consumers.
- D. There is no difference between these two principles. One principle name is used instead of the other depending on whether you are building loose or tight service abstraction layers.

Correct Answer: C

QUESTION 2

I was discussing my new service with a client who told me that my technical service contract revealed too much information about the underlying service design. For example, based only on the names of my service capabilities, my client could determine that the service was using an Oracle database. What service-orientation principle should I apply to address this problem? Select the correct answer.

- A. Service Reusability
- B. Service Discoverability
- C. Service Autonomy
- D. Service Abstraction

Correct Answer: D

QUESTION 3

When applying the Service Loose Coupling principle _____ coupling types are avoided in order to _____ the governance independence of the service. Select the correct answer.

- A. positive, minimize
- B. negative, minimize
- C. negative, maximize
- D. positive, maximize

Correct Answer: C



QUESTION 4

The Service Reusability principle can _____ demands on infrastructure because services that are reused will typically have _____ security, performance, and reliability requirements. Select the correct answer.

- A. increase, reduced
- B. decrease, reduced
- C. eliminate, no
- D. None of the above.

Correct Answer: D

QUESTION 5

Which of the following are considered negative forms of coupling: SELECT ALL THAT APPLY

- A. Logic-to-Contract
- B. Contract-to-Logic
- C. Contract-to-Technology
- D. Contract-to-Implementation

Correct Answer: BCD

[Latest S90.03 Dumps](#)

[S90.03 Practice Test](#)

[S90.03 Brindumps](#)