



SCA_SLES15^{Q&As}

SUSE Certified Administrator in SUSE Linux Enterprise Server 15

Pass SUSE SCA_SLES15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/sca_sles15.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SUSE
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which file lists each user's home directory and login shell?

- A. /etc/sysconfig/homedir
- B. /var/userenv
- C. /var/sysconf/userenv
- D. /var/9hare/userenv
- E. /etc/password
- F. /etc/passwd

Correct Answer: E

QUESTION 2

What does the following command allow you to do? alias endear"

- A. You can type clear to run the c command.
- B. You can type c to run the clear command.
- C. Nothing, since there is not a command named alias.
- D. It launches a second Login Shell and allows you to rename the clear command to just c.
- E. It allows you to rename the clear command to just c and then deletes the clear command.

Correct Answer: B

QUESTION 3

firewalld maintains two separate configurations. What are they named? (Choose two)

- A. Runtime
- B. Temporary
- C. Production
- D. Permanent
- E. Static
- F. Testing
- G. Fixed



Correct Answer: AD

Explanation: Firewalld uses two separated configuration sets, runtime, and permanent configuration.

The runtime configuration is the actual running configuration and it is not persistent on reboots. When the firewalld service starts it loads the permanent configuration which becomes the runtime configuration.

<https://www.supportsages.com/everything-you-need-to-know-about-firewalld/#:~:text=Firewalld%20uses%20two%20separated%20configuration,which%20becomes%20the%20runtime%20configuration.>

QUESTION 4

Which type of files are used for inter-process communications? (Choose two)

- A. Array
- B. Pipe
- C. udev
- D. Redirect
- E. Block
- F. Character
- G. Socket

Correct Answer: AB

QUESTION 5

In the scripts subdirectory under your home directory there is a file named tstparse.sh. You want to set an Extended ACL so thejsmith user has all permissions to just this file. Which command will accomplish this?

- A. setacl -a user:jsmith:rwx -/scripts/tstparse.sh
- B. extacl -a user=jsmith:rwx -/scripts/tstparse.sh
- C. modacl user=jsmith:rwx -/scripts/tstparse.sh
- D. setfacl -m u:jsmith:rwx -/scripts/tstparse.sh

Correct Answer: AB

[Latest SCA_SLES15 Dumps](#)

[SCA_SLES15 Practice Test](#)

[SCA_SLES15 Braindumps](#)