



SPLK-2001^{Q&As}

Splunk Certified Developer

Pass Splunk SPLK-2001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/splk-2001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Splunk
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which statements are true regarding HEC (HTTP Event Collector) tokens? (Select all that apply.)

- A. Multiple tokens can be created for use with different sourcetypes and indexes.
- B. The edit token http admin role capability is required to create a token.
- C. To create a token, send a POST request to services/collector endpoint.
- D. Tokens can be edited using the data/inputs/http/{tokenName} endpoint.

Correct Answer: AC

QUESTION 2

Which of the following is a customization option for the Open in Search panel link button?

- A. Display the refresh time.
- B. Show the Export Results button.
- C. Show link buttons at the bottom of a panel.
- D. Define an alternative search or target view to use.

Correct Answer: D

QUESTION 3

Which of the following statements describe oneshot searches? (Select all that apply.)

- A. Are always executed asynchronously.
- B. Can specify csv as an output format.
- C. Stream all results upon search completion.
- D. Can use auto_cancel to set a timeout limit.

Correct Answer: BC

Reference: <https://dev.splunk.com/enterprise/docs/devtools/java/sdk-java/howtousesdkjava/howtoworkjobjava/>

QUESTION 4

When the search/jobs REST endpoint is called to execute a search, what can be done to reduce the results size in the results? (Select all that apply.)



- A. Use a generating search.
- B. Remove unneeded fields.
- C. Truncate the data, using selective functions.
- D. Summarize data, using analytic commands.

Correct Answer: AB

QUESTION 5

How can indexer acknowledgement be enabled for HTTP Event Collector (HEC)? (Select all that apply.)

- A. No need to do anything, it is turned on by default.
- B. When a REST request is sent to create a token, the property for indexer acknowledgement must be set to 1.
- C. When a new HEC token is created in Splunk Web, select the checkbox labeled "Enable indexer acknowledgement".
- D. When the Global Settings for HEC are updated in Splunk Web, select the checkbox labeled "Enable indexer acknowledgement".

Correct Answer: CD

Reference: <https://docs.splunk.com/Documentation/Splunk/8.1.2/Data/UsetheHTTPEventCollector>

[Latest SPLK-2001 Dumps](#)

[SPLK-2001 PDF Dumps](#)

[SPLK-2001 Practice Test](#)