TA-002-P^{Q&As}

HashiCorp Certified: Terraform Associate

Pass HashiCorp TA-002-P Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ta-002-p.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HashiCorp Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

When Terraform needs to be installed in a location where it does not have internet access to download the installer and upgrades, the installation is generally known as to be _____.

A. a private install

B. disconnected

C. air-gapped

D. non-traditional

Correct Answer: D

A Terraform Enterprise install that is provisioned on a network that does not have Internet access is generally known as an air-gapped install. These types of installs require you to pull updates, providers, etc. from external sources vs. being able to download them directly.

QUESTION 2

Module variable assignments are inherited from the parent module and do not need to be explicitly set.

A. True

B. False

Correct Answer: B

QUESTION 3

You are writing a child Terraform module which provisions an AWS instance. You want to make use of the IP address returned in the root configuration. You name the instance resource "main". Which of these is the correct way to define the output value using HCL2?

A.

```
output "instance_ip_addr" {
    value = "${aws_instance.main.private_ip}"
}
```

B.

```
output "instance_ip_addr" {
    return aws_instance.main.private_ip
}
```

A. Option A

B. Option B

Correct Answer: A

QUESTION 4

What does this code do?

```
terraform {
  required_providers {
    aws = "~> 3.0"
  }
}
```

A. Requires any version of the AWS provider > = 3.0 and

B. Requires any version of the AWS provider > = 3.0

C. Requires any version of the AWS provider after the 3.0 major release like 4.1

D. Requires any version of the AWS provider > 3.0

Correct Answer: A

https://www.terraform.io/language/expressions/version-constraints#-3 Allows only the rightmost version component to increment. For example, to allow new patch releases within a specific minor release, use the full version number: ~> 1.0.4 will allow installation of 1.0.5 and 1.0.10 but not 1.1.0

QUESTION 5

Ric wants to enable detail logging and he wants highest verbosity of logs. Which of the following environment variable settings is correct option for him to select.

A. Set TF_LOG = DEBUG

B. Set VAR_TF = TRACE

C. Set TF_LOG = TRACE

D. Set VAR_TF_LOG = TRACE

Correct Answer: C

https://www.terraform.io/docs/internals/debugging.html

TA-002-P Practice Test   TA-002-P Study Guide   TA-002-P Braindumps