



UIPATH-ARDV1^{Q&As}

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

Pass UiPath UIPATH-ARDV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/uipath-ardv1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer wants to determine which UI elements are unique in the beta and production versions of a website. Based on best practice, which expression allows the developer to initialize a collection that will store all the unique UI elements?

- A. `New Object(){"UiPath.Core.UiElement"}`
- B. `New List(Of String) from ({"UiPathCore.UiElement"})`
- C. `New List(Of UiPath.Core.UiElement)({})`
- D. `New UiPath.Core.UiElement(){}`

Correct Answer: C

QUESTION 2

The `String.Format("Input = {0} and Output = {1}", "1", "2")` expression returns the following text:

- A. Input = 0 and Output = 0
- B. Input = 1 and Output = 2
- C. Input = 1 and Output = 1
- D. Input = {0} and Output = {1}

Correct Answer: B

QUESTION 3

A developer wants to create a process which uses UI automation activities on hidden or minimized windows for a user in a Call Center. While the process is running on the user's machine, the user also needs the ability to use the machine to look up items in a desktop application.

Which activity must be configured to be able to interact with hidden or minimized windows?

- A. Get Full Text
- B. Set Text
- C. Click
- D. Check

Correct Answer: C

Reference: <https://docs.uipath.com/studio/docs/the-user-interface>



QUESTION 4


A developer created a production level automation using the Robotic Enterprise (RE) Framework. The Config.xlsx file included in the framework contains values used within the automation project. Which values can each sheet in the Config.xlsx file contain?

- A. Settings sheet contains only hard-coded values. Assets sheet contains all names of Orchestrator assets.
- B. Settings sheet contains only hard-coded values. Assets sheet contains only hard-coded values.
- C. Settings sheet can contain hard-coded values. Assets sheet contains all names of Orchestrator assets except those of type Credential.
- D. Settings sheet contains hard-coded values and names of Credential assets. Assets sheet contains only hard-coded values.

Correct Answer: C

QUESTION 5

A developer uses a Lookup Data Table activity to return an email address of a person. What will be the result of the execution of the following sequence?




Please find the Build Data Table activity below



	First Name (String)	Last Name (String)	Email Address (String)
+			
×	Jaimie	Tander	ja.tander@gmail.com
×	Adelina	Joe	ajoe@gmail.com
×	Allyson	Greson	all.greson@gmail.com
×	Ramie	Besson	ramiebess@gmail.com
×	Melody	Joe	melody_joe@gmail.com
×	Otto	Mariotte	otto.mar@gmail.com
×	Joe	Dewan	joedewan@gmail.com
×			

Please find the properties of Lookup Data Table activity below



- A. melody_joe@gmail.com
- B. ajoe@gmail.com
- C. joedewan@gmail.com
- D. An error will be thrown.

Correct Answer: B

Data Table is zero-based, so ColumnIndex 1 is actually the second column of the data table, "Last Name" column.

Lookup Data Table activity returns the first result of the search, so as there are 2 rows with Last Name equal to "Joe", the value from the first found row will be returned-ajoe@gmail.com.

Describe how to work with complex data structures and data manipulation; for example, datatables and collections



VCE & PDF

GeekCert.com

<https://www.geekcert.com/uiopath-ardv1.html>

2024 Latest geekcert UIPATH-ARDV1 PDF and VCE dumps Download

[Latest UIPATH-ARDV1
Dumps](#)

[UIPATH-ARDV1 VCE
Dumps](#)

[UIPATH-ARDV1 Exam
Questions](#)