



UIPATH-RPAV1^{Q&As}

UIPATH-RPAV1 : UiPath RPA Associate v1.0 Exam (UiRPA)

Pass UiPath UIPATH-RPAV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/uiopath-rpav1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Downloading a report from a web application takes a variable amount of time, but a pop-up window is shown when the download is finished. What should you do to check whether the file has been fully downloaded before continuing the process?

Options are :

- A. Set the WaitForReady property to Complete
- B. Use the On Element Appear activity and indicate the download pop-up window
- C. Use the Element Exist activity and indicate the download pop-up window

Correct Answer: C

QUESTION 2

What would you use to exit from a For each activity and condition and continue the execution of the workflow?

Options are :

- A. Terminate workflow activity
- B. Break activity
- C. If Activity

Correct Answer: B

QUESTION 3

What happens in the Init state of the Main workflow, in the UiPath Robotic Enterprise Framework template?

Options are :

- A. The robot checks if the previous transaction is complete and then starts the next one
- B. The transaction items are extracted from the Queue
- C. The robot reads the configuration file and initializes all the required applications

Correct Answer: C

QUESTION 4

How can you extract text from a Citrix application? Options are :

- A. None of the above



- B. Using Microsoft OCR
- C. Using the shared clipboard
- D. Using the screen scraping

Correct Answer: B

QUESTION 5

After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to: Options are :

- A. Click Import Arguments, and then bind the arguments to the local variables or to some default values
- B. Click Edit Arguments, and then bind the arguments to the local variables or to some default values

Correct Answer: A

[Latest UIPATH-RPAV1 Dumps](#)

[UIPATH-RPAV1 Practice Test](#)

[UIPATH-RPAV1 Study Guide](#)