



# VCS-256<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

## Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vcs-256.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which action is performed by the CoordPoint agent?

- A. Is registers cluster nodes with coordination disks and coordination point servers.
- B. It monitors only the coordination point server.
- C. It monitors cluster node registrations with coordination point servers and SCSI-3 disks.
- D. It removes offline cluster nodes from the coordination point servers.

Correct Answer: C

Reference: [https://sort.veritas.com/public/documents/vcs/6.0/aix/productguides/html/vcs\\_install/ch18s02s03.htm](https://sort.veritas.com/public/documents/vcs/6.0/aix/productguides/html/vcs_install/ch18s02s03.htm)

---

### QUESTION 2

Which command allows an administrator to halt the cluster without affecting any of the running services in an active Veritas Cluster Server environment?

- A. hastop
- B. hastop -all
- C. hastop -all -force
- D. hastop -all -freeze

Correct Answer: A

---

### QUESTION 3

Refer to the exhibit.

How many servers are seeded in the GAB port membership?

GAB status and membership notation



```
# gabconfig -a
GAB Port Memberships

Port a gen f7c001 membership 01 ; ;12
Port b gen f7c004 membership 01 ; ;12
Port h gen f7c002 membership 01 ; ;12
```

- A. the GAB port membership has two nodes: 01 and 12
- B. the GAB port membership has three nodes: 0,1, and 12
- C. the GAB port membership has two nodes: 0 and 1
- D. the GAB port membership has four nodes: 0,1,21, and 22

Correct Answer: C

#### QUESTION 4

Which requirement must be met to allow two separate Veritas InfoScale clusters to share a common private heartbeat network switch?

- A. The GAB network IDs must be unique across the clusters.
- B. All node IDs must be unique across the clusters.
- C. The cluster IDs must be unique across the clusters.
- D. All LLT node IDs must be unique across the clusters.

Correct Answer: D

Reference: [https://www.veritas.com/support/en\\_US/doc/129683742-129683747-0/uxrt-731\\_v39378991-129683747](https://www.veritas.com/support/en_US/doc/129683742-129683747-0/uxrt-731_v39378991-129683747)

#### QUESTION 5

Which two meters can the administrator use for the system capacity calculation when the FailOverPolicy of a service group is set to BiggestAvailable? (Select two.)

- A. Network
- B. Swap
- C. Storage
- D. Semaphores
- E. CPU



VCE & PDF

GeekCert.com

<https://www.geekcert.com/vcs-256.html>

2024 Latest geekcert VCS-256 PDF and VCE dumps Download

---

Correct Answer: BE

Reference: [https://www.veritas.com/content/support/en\\_US/doc/129673366-129673369-0/uxrt-731\\_id-SF1H0165839-129673369](https://www.veritas.com/content/support/en_US/doc/129673366-129673369-0/uxrt-731_id-SF1H0165839-129673369)

[Latest VCS-256 Dumps](#)

[VCS-256 Practice Test](#)

[VCS-256 Exam Questions](#)