



VCS-256^{Q&As}

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vcs-256.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which utility is used to configure the container resource when configuring application monitoring within a Docker container?

- A. vxdockerconfig
- B. installer -docker
- C. dockerconfig
- D. hadockerssetup

Correct Answer: D

QUESTION 2

Which two characteristics represent a Veritas Cluster Server (VCS) resource? (Select two.)

- A. A VCS resource corresponds to a hardware or software component.
- B. A VCS resource allows cyclical dependencies without a clear starting point.
- C. A VCS resource allows only persistent resources to be a parent.
- D. A VCS resource has a unique name throughout the cluster.
- E. A VCS resource has a single entry point that the agent uses to control the resource.

Correct Answer: AD

Reference: https://sort.veritas.com/public/documents/vcs/5.0/solaris/sparc/productguides/html/vxfas_vcsagent_install/02.symm_setup8.html

QUESTION 3

What is the purpose of the AutoClearLimit attribute?

- A. It defines the number of attempts to clear the Faulted state of a resource on all nodes.
- B. It defines the number of attempts to clear the Faulted state of a service group on all nodes.
- C. It defines the number of attempts to clear the AutoDisabled state of a service group on a node.
- D. It defines the number of attempts to clear Faulted state of a resource on a single node.

Correct Answer: B

Reference: https://www.veritas.com/support/en_US/doc/129673366-129673369-0/uxrt-731_id-SF1H0130455-129673369



QUESTION 4

Which utility should an administrator use to propagate changes made to the Solaris Zone configuration from one node to other cluster nodes?

- A. hasync
- B. hazoneconfigsync
- C. haconfigdistribute
- D. hamigrate

Correct Answer: B

Reference:

https://sort.veritas.com/public/documents/via/7.1/aix/productguides/html/infoscale_whats_new/ch01s09s07.htm

QUESTION 5

Which two capabilities can an administrator use to ensure availability within Docker Containers? (Select two.)

- A. provide HA to the application within the container for failover and app restart
- B. provide provisioning of a new container when an application within the container fails
- C. first restart the application within the container and if continued app failures then provision a new container
- D. provide HA to the container and move it between cluster nodes
- E. provide provisioning of a new container when a container fails

Correct Answer: AD

[VCS-256 PDF Dumps](#)

[VCS-256 Practice Test](#)

[VCS-256 Exam Questions](#)