



# VCS-256<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

## Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vcs-256.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The `hastatus` command shows a service group in the `AutoDisabled` state, and Veritas Cluster Server is unsuccessful in bringing the service group online automatically. Which command can the administrator use to reset the `AutoDisabled` attribute?

- A. `hagrp -autoenable -sys`
- B. `hagrp -flush -sys`
- C. `hagrp -online -sys`
- D. `hagrp -modify AutoDisabled 0`

Correct Answer: B

---

### QUESTION 2

An administrator is performing an upgrade from Veritas Cluster Server 6.0 to Veritas InfoScale Availability 7.1. Which feature is installed and licensed?

- A. Veritas Volume Replicator
- B. Cluster File System
- C. Global Cluster Option
- D. Veritas Resiliency Platform

Correct Answer: C

---

### QUESTION 3

What happens when an administrator executes `hastop-local` on a system that has an online service group which is frozen persistently?

- A. HAD is killed on the system so the system state changes to faulted in the cluster.
- B. HAD shuts down gracefully but leaves the application running.
- C. The service group is evacuated to another system and HAD shuts down gracefully.
- D. The command is rejected and HAD continues to run.

Correct Answer: A

---

### QUESTION 4



---

Which category of resources is considered by Veritas Cloud Server when determining whether a service group is online?

- A. On-Off
- B. Failover
- C. On-Only
- D. Persistent

Correct Answer: A

---

#### QUESTION 5

How is the Authority attribute of a global service group used?

- A. to authorize the users who have administrative privileges over the global service group
- B. to authorize the cluster on which all administrative actions should be performed for the global service group
- C. to give authority for automated failover of the global service group across remote clusters
- D. to specify the right to attempt bringing the global service group online in the cluster

Correct Answer: D

Reference: [https://sort.symantec.com/public/documents/vcs/6.0/aix/productguides/html/vcs\\_admin/apds04.htm](https://sort.symantec.com/public/documents/vcs/6.0/aix/productguides/html/vcs_admin/apds04.htm)

[VCS-256 Practice Test](#)

[VCS-256 Study Guide](#)

[VCS-256 Braindumps](#)