VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/vcs-260.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An administrator has replaced a network interface card (NIC) in one of the cluster nodes which is configured to LLT heartbeat. Upon the node restart, the LLT links are disconnected.

Which file should the administrator edit to allow LLT to utilize the replaced NIC?

A. /etc/gabtab

B. /etc/llthosts

C. /etc/networks

D. /etc/llttab

Correct Answer: D

QUESTION 2

How is the Authority attribute of a global service group used?

A. to authorize the users who have the administrative privileges over the global service group

B. to authorize the cluster on which all administrative actions should be performed for the global service group

C. to give authority for automated failover of the global service group across remote clusters

D. to specify the right to attempt brining the global service group online in the cluster

Correct Answer: D

QUESTION 3

An administrator manually edits the Veritas Cluster Server configuration file while a cluster is stopped. When the cluster is restarted, all the changes made are missing.

Why are the changes made to the configuration file missing?

A. The cluster was started first on the node where the changes were made.

B. The hacf -verify command needs to be run after making the manual changes.

C. The cluster was started first on a node other than the one where the changes were made.

D. The haconf -dump command needs to be run prior to starting the cluster.

Correct Answer: C

QUESTION 4

Which two resource attributes must the administrator set correctly to prevent a fault for the service group when a new resource is added? (Choose two.)

A. AutoDisabled

B. Critical

C. Enabled

D. Frozen

E. MonitorOnly

Correct Answer: BC

QUESTION 5

Which attribute can an administrator configure to allow a service group to come back online after a persistent resource has faulted and other nodes are unavailable?

A. RestartLimit

B. AutoRestart

C. FailOverPolicy

D. AutoStartPolicy

Correct Answer: B