VCS-273 Q&As

Administration of Veritas NetBackup 7.6.1 and NetBackup Appliances 2.6.1

Pass Veritas VCS-273 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/vcs-273.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

What is the default length of time that true image restore (TIR) information is retained in the NetBackup catalog?

A. 1 day

B. 3 days

C. 28 days

D. 30 days

Correct Answer: A

QUESTION 2

An administrator has backups failing with status code 96 due to tapes being prevented from returning to the scratch volume pool after the images they contain expire. What prevented the media from returning to the scratch pool?

A. media was created in volume pools other than the scratch pool

B. media was in an off-site location

C. media was written with multiplexed images

D. an application other than NetBackup wrote to the media

Correct Answer: A

QUESTION 3

A NetBackup policy is configured to back up the following paths for a client: D:\stage E:\data E:\home F:\production Multistreaming is enabled for the backups, and multiplexing is set to 4. Backup streams are running slowly. Which step should the administrator consider to improve backup performance?

A. increase the multiplexing level

B. back up only one stream from each physical device on the client

C. disable multistreaming

D. increase the number of data buffers

Correct Answer: B

QUESTION 4

A tape library had the robot firmware upgraded and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup 7.6.1 to use the same characters as before the firmware upgrade occurred?

A. update the Media ID Generation setting

B. update Media settings

C. update Device mappings

D. update the Barcode Rules setting

Correct Answer: A

QUESTION 5

Backups to a storage device fail with the following error message:

Disk storage is down (2106)

The storage server is an OpenStorage (OST) host, and the Master Server and Media Server are both acting as Media Servers under Credentials > Storage Servers in the Administration Console. The disk pool is in an Up state and the

storage server is in a Down state. Troubleshooting confirmed the OST plug-ins on the servers are mismatched.

Which command should an administrator use to check the plug-in version installed on the servers?

A. bpgetconfig

B. nbftconfig

C. nbdevquery

D. bpstsinfo

Correct Answer: D

VCS-273 VCE Dumps VCS-273 Practice Test VCS-273 Exam Questions