



# VCS-279<sup>Q&As</sup>

Administration of Veritas NetBackup 8.1.2 and NetBackup Appliances  
3.1.2

## Pass Veritas VCS-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vcs-279.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A new storage shelf is added to an existing appliance.

Which command under Manage > Storage must the administrator perform first after a new shelf is connected to the appliance and the appliance is powered on?

- A. Add
- B. Scan
- C. Resize
- D. Edit

Correct Answer: C

---

### QUESTION 2

An administrator is comparing the NetBackup Accelerator and NetBackup FlashBackup features to determine which feature should be used for backup of a very large file system with millions of files.

Which consideration is irrelevant when determining whether to use NetBackup Accelerator or NetBackup FlashBackup in the situation?

- A. the file system change rate
- B. the file system storage capacity
- C. the type of file system being used
- D. the file system folder depth

Correct Answer: A

---

### QUESTION 3

An administrator took media server mediaA offline for maintenance and set up a new media server mediaB with access to the previously backed up data. When restores are performed for data that was backed up by mediaA, the restores fail.

Which setting must the administrator modify to allow successful restores?

- A. from the master server, run bpimage to change the host name of the media server from mediaA to mediaB
- B. set "Enable unrestricted media sharing for all media servers" in the master server host properties in the Media section
- C. in the BAR console, change the "Server to use for backup and restores" setting to mediaB
- D. verify both media servers are set up in the master server host properties in the "Restore Failover" section



Correct Answer: D

---

#### QUESTION 4

An administrator navigates to NetBackup Management > Catalog, and selects Action: Import. After clicking the Search Now button, the following message appears:

INF - Found no images matching the selection criteria that were ready for phase 2 import.

Which step must the administrator perform in order to get search results?

- A. increase the "Catalog cleanup wait time" in the Clean-up host property
- B. run the "Recover the catalogs" wizard
- C. enable Catalog > Override default priority, and increase the Job Priority value
- D. run the Initiate Import command in the Catalog > Action menu

Correct Answer: D

---

#### QUESTION 5

Which feature is enabled after adding a master server to the Trusted Master Servers tab?

- A. backup of clients in other master server domains
- B. remote console to another master server
- C. targeted Auto Image Replication
- D. remote catalog backups

Correct Answer: C

[VCS-279 Practice Test](#)

[VCS-279 Study Guide](#)

[VCS-279 Braindumps](#)